This document gives pertinent information concerning the reissuance of the VPDES Permit listed below. This permit is being processed as Minor, Industrial permit. The discharge results from the operation of a 0.0144 MGD groundwater remediation system. This permit action consists of updating the proposed effluent limits to reflect the current Virginia WQS (effective 6 January 2011) and updating permit language as appropriate. The effluent limitations and special conditions contained in this permit will maintain the Water Quality Standards of 9VAC25-260 et seq.

1. Facility Name and Mailing Address:		The Nature Conservancy 21335 Signal Hill Plaza Suite 100 Sterling, VA 20164	SIC Code:	4959 Sanitary Services	
	Facility Location:	4245 North Fairfax Drive Arlington, VA 22203	County:	Arlington	
	Facility Contact Name:	Justin Cooper / Project Geologist	Telephone Number:	703-444-7000	
	Facility Email Address:	Justin.Cooper@tetratech.com			
2.	Permit No.:	VA0089796	Expiration Date:	30 January 2012	
	Other VPDES Permits:	Not Applicable			
	Other Permits:	Not Applicable			
	E2/E3/E4 Status:	Not Applicable			
3.	Owner Name:	The Nature Conservancy			
	Owner Contact / Title:	Maggie Savage / Foulger-Pratt Management, Inc.	Telephone Number:	703-273-1427	
	Owner Email Address:	MSavage@foulgerpratt.com			
4.	Application Complete Date:	10 May 2012			
	Permit Drafted By:	Douglas Frasier	Date Drafted:	1 November 2012	
	Draft Permit Reviewed By:	Alison Thompson	Date Reviewed:	16 November 2012	
	Public Comment Period:	Start Date: 13 December 2012	End Date:	14 January 2013	
5.	Receiving Waters Information:	See Attachment 1 for the Flow Freque	ency Determination.		
	Receiving Stream Name:	Lubber Run, UT (storm sewer)	Stream Code:	laXHX.	
	Drainage Area at Outfall:	0.61 square miles	River Mile:	0.27	
	Stream Basin:	Potomac	Subbasin:	None	
	Section:	7	Stream Class:	III	
	Special Standards:	b	Waterbody ID:	VAN-A12R	
	7Q10 Low Flow:	0.0 MGD	7Q10 High Flow:	Not Applicable	
	1Q10 Low Flow:	0.0 MGD	1Q10 High Flow:	Not Applicable	
	30Q10 Low Flow:	0.0 MGD	30Q10 High Flow:	Not Applicable	
	Harmonic Mean Flow:	Not Applicable	30Q5 Flow:	Not Applicable	
6.	Statutory or Regulatory Basis for	Special Conditions and Effluent Limita	ations:		
	✓ State Water Control Lav	N	EPA Guideline	s	
	✓ Clean Water Act		✓ Water Quality	Standards	
	✓ VPDES Permit Regulati	ion	✓ Other: General VPDES Permit Regula		
	EPA NPDES Regulation	n	Sites, Gro	es From Petroleum Contaminated oundwater Remediation and etic Tests – 9VAC25-120 et seq.	

EPA Primary Drinking Water Standards.

7.	Licensed Operator Re	equirements: Not Applicable							
8.	Reliability Class:	Not Applicable							
9.	Permit Characterization:								
	✓ Private	✓ Effluent Limited	Possible Interstate Effect						
	Federal	Water Quality Limited	Compliance Schedule Required						
	State	Toxics Monitoring Program Requir	ed Interim Limits in Permit						
	WTP	Pretreatment Program Required	Interim Limits in Other Document						
	TMDL								

10. Wastewater Sources and Treatment Description:

In 1997, The Nature Conservancy constructed an eight story office building to serve as its headquarters. The site (groundwater and soils) was contaminated with petroleum products and chlorinated solvents. The petroleum contamination was attributed to the operation of a gasoline station which operated on the site from 1935 to 1953 and as an auto repair shop from 1957 to 1974. The chlorinated solvents originated from a dry cleaning store operating nearby. In February 1997, under the Virginia Voluntary Remediation Program, groundwater remediation was initiated as part of the construction activities. A VPDES permit was issued in January 1998 for the discharge of the remediated groundwater.

The groundwater treatment system consists of an air stripper and associated equipment consisting of sump pumps, carbon absorbers and piping. Perforated piping beneath the building's sub grade floors collect and direct the groundwater to a sump where it is pumped to the air stripper. Air is introduced in order to strip the volatile organic compounds (VOCs) from the water. The exhaust air is routed through carbon filters prior to being vented to the atmosphere while the treated water is discharged via Outfall 001.

The system is designed for 10 gallons per minute (gpm). Treated effluent from the system is discharged to a storm sewer along North Taylor Street, eventually draining to Lubber Run.

See Attachment 2 for the NPDES Permit Rating Worksheet.

See Attachment 3 for a facility schematic/diagram.

	O(TABLE I OUTFALL DESCRIPTION									
Outfall Number	Discharge Sources	Treatment	Max 30-day Flow	Latitude / Longitude 38° 52′ 57″ / 77° 06′ 45″							
001 Ind	dustrial Wastewater/Groundwater	See Section 10 above	0.0144 MGD								

11. Solids Treatment and Disposal Methods:

There are no solids generated with the operation of this treatment system.

12. Discharges Located Within Waterbody VAN-A12R:

	TABLE 2 DISCHARGES WITHIN WATERBODY VAN-A12R							
Permit Number	Facility Name	Туре	Receiving Stream					
VA0025143	Arlington County Water Pollution Control Facility	Municipal Individual Permit	Four Mile Run					

<i>-</i>	TABLE 2 (continued)	22 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	֏
Permit Number	Facility Name	Туре	Receiving Stream
VAR051296	US Joint Base - Myer Henderson Hall	Stormwater Industrial General Permit	Potomac River, UT
VAG110087	Virginia Concrete Company, Inc. – Shirlington	Ready Mix Concrete General Permit	Four Mile Run
VAG830428	R F and P Facility		Occoquan River, UT
VAG830393	1716 Wilson LLC Property		Potomac River
VAG830340	1812 Holdings LLC Property		Little River
VAG830433	Lodestar Inc. Property		Rocky Run
VAG830436	Pentagon Industrial Complex	Petroleum	Roaches Run
VAG830101	Ballston Common Associates LP	Remediation General Permits	Lubber Run
VAG830321	Halstead at Arlington		Long Branch
VAG830337	Shell 139445 – Columbia Pike		Four Mile Run
VAG830419	Founders Square Lot 3A	·	Doctors Branch
VAG830420	Alexandria City Tax Map 054 04 10		Potomac River
VAG750173	BMW of Arlington		Four Mile Run
VAG750208	Avis Car Rental – 3206 10 th St N		Rocky Run
VAG750155	Universal Air and Vacuum Service	Car Wash General Permits	Four Mile Run
VAG750156	BP Amoco 84667		Four Mile Run
VAG750192	C and G Imports Wilson Blvd		Spout Run

- 13. Material Storage: There are no chemicals used or stored at this facility.
- 14. Site Inspection: Performed by DEQ-NRO staff on 17 November 2012 (see Attachment 5).

15. Receiving Stream Water Quality and Water Quality Standards:

a. Ambient Water Quality Data

This facility discharges to an unnamed tributary to Lubber Run (storm sewer). There is no water quality monitoring data for the receiving stream. The nearest downstream DEQ monitoring station is 1aFOU004.22, located on Fourmile Run at the Route 244 bridge crossing, approximately 2.4 miles downstream of Outfall 001. The following is the water quality summary for this segment of Fourmile Run, as taken from the Draft 2012 Integrated Report*:

Class III, Section 7, special standards "b".

DEQ ambient monitoring stations 1aFOU001.92, at West Glebe Road, 1aFOU002.02, upstream of South Glebe Road, 1aFOU004.22, at Route 244, and 1aFOU005.60, at Carlyn Springs Road. Citizen monitoring stations 1aFOU-1-ACM, 1aFOU-2-ACM, 1aFOU-3-ACM, 1aFOU-4-ACM, 1aFOU-5-ACM, 1aFOU-6-ACM, 1aFOU-7-ACM, 1aFOU-8-ACM, 1aFOU-9-ACM, and 1aFOU-11-ACM.

E. coli monitoring finds a bacterial impairment, resulting in an impaired classification for the recreation use. The E. coli data collected by the citizen monitoring group indicate that a water quality issue may exist for the recreation use. A bacteria TMDL for the Fourmile Run watershed has been completed and approved.

The aquatic life and wildlife uses are considered fully supporting, with the aquatic life use noted with observed effects, described above.

The fish consumption use is fully supporting with observed effects. SPMD data revealed an exceedance of the human health criteria of 0.64 parts per billion (ppb) for polychlorinated biphenyls (PCBs), which is noted with an observed effect. A PCB TMDL for the tidal Potomac River watershed has been completed and approved.

*The Draft 2012 Integrated Report (IR) has been through the public comment period and reviewed by EPA. The 2012 IR is currently being finalized and prepared for release.

b. 303(d) Listed Stream Segments and Total Maximum Daily Loads (TMDLs)

	og C	IMPAIR	TABLE 3 RMENTS/TMDL		ŧ.ji		i.
Waterbody Name	Impaired Use	Cause	Distance From Outfall	TMDL completed	WLA	Basis for WLA	TMDL Schedule
	Im	pairment Inforn	nation in the Dra	ft 2012 Integrated Re	eport*		
Fourmile Run	Recreation	E. coli	1.5 miles	Four Mile Run Bacteria 5/31/2002	None		N/A
Fourmile	Fish Consumption	РСВ	5.1 miles	Tidal Potomac PCB 10/31/2007	None		N/A
Run (Tidal)		Chlordane	5.1 miles	N/A			2022

^{*}The Draft 2012 Integrated Report (IR) has been through the public comment period and reviewed by EPA.
The 2012 IR is currently being finalized and prepared for release.

The full planning statement is found in Attachment 6.

Receiving Stream Water Quality Criteria

Part IX of 9VAC25-260(360-550) designates classes and special standards applicable to defined Virginia river basins and sections. The receiving stream Lubber Run, UT, is located within Section 7 of the Potomac River Basin and classified as Class III water.

At all times, Class III waters must achieve a dissolved oxygen (D.O.) of 4.0 mg/L or greater, a daily average D.O. of 5.0 mg/L or greater, a temperature that does not exceed 32°C and maintain a pH of 6.0-9.0 standard units (S.U.).

Attachment 7 details other water quality criteria applicable to the receiving stream.

d. Receiving Stream Special Standards

The State Water Control Board's Water Quality Standards, River Basin Section Tables (9VAC25-260-360, 370 and 380) designates the river basins, sections, classes and special standards for surface waters of the Commonwealth of Virginia. The receiving stream, Lubber Run, UT, is located within Section 7 of the Potomac River Basin. This section has been designated with a special standard of "b".

Special Standard "b" (Potomac Embayment Standards) established effluent standards for all sewage plants discharging into Potomac River embayments and for expansions of existing plants discharging into non-tidal tributaries of these embayments. 9VAC25-415, Policy for the Potomac Embayments, controls point source discharges of conventional pollutants into the Virginia embayment waters of the Potomac River and their tributaries from the fall line at Chain Bridge in Arlington County to the Route 301 Bridge in King George County. The regulation sets effluent limits for BOD₅, total suspended solids, phosphorus and ammonia to protect the water quality of these high profile waterbodies.

The Potomac Embayment Standards are not applicable to this discharge since corrective action remediation systems were explicitly exempt (9VAC25-415-30.D.) and this operation does not discharge those pollutants of concern.

e. Threatened or Endangered Species

The Virginia DGIF Fish and Wildlife Information System Database was searched on 31 July 2012 for records to determine if there are threatened or endangered species in the vicinity of the discharge. The following threatened or endangered species were identified within a 2 mile radius of the discharge: Atlantic Sturgeon; Brook Floater (mussel); Wood Turtle; Upland Sandpiper (song bird); Loggerhead Shrike (song bird); Henslow's Sparrow; Appalachian Grizzled Skipper (butterfly); Bald Eagle; and Migrant Loggerhead Shrike (song bird). The limits proposed in this draft permit are protective of the Virginia Water Quality Standards and protect the threatened and endangered species found near the discharge.

16. Antidegradation (9VAC25-260-30):

All state surface waters are provided one of three levels of antidegradation protection. For Tier 1 or existing use protection, existing uses of the water body and the water quality to protect these uses must be maintained. Tier 2 water bodies have water quality that is better than the water quality standards. Significant lowering of the water quality of Tier 2 waters is not allowed without an evaluation of the economic and social impacts. Tier 3 water bodies are exceptional waters and are so designated by regulatory amendment. The antidegradation policy prohibits new or expanded discharges into exceptional waters.

The receiving stream is located within a highly urbanized area and at times the stream flow will be comprised of only effluent. It is staff's best professional judgment that such streams are Tier 1. Permit limits proposed have been established which will result in attaining and/or maintaining all water quality criteria which apply to the receiving stream, including narrative criteria. These limitations will provide for the protection and maintenance of all existing uses.

17. Effluent Screening and Effluent Limitation Development:

To determine water quality-based effluent limitations for a discharge, the suitability of data must first be determined. Data is suitable for analysis if one or more representative data points are equal to or above the quantification level ("QL") and the data represent the exact pollutant being evaluated.

a. Effluent Screening:

Effluent data obtained from the June 2008 – May 2012 Discharge Monitoring Reports (DMRs) has been reviewed and determined to be suitable for evaluation. Please see **Attachment 8** for a summary of effluent data.

b. Effluent Limitations, Outfall 001 - Toxic Pollutants

9VAC25-31-220.D. requires limits be imposed where a discharge has a reasonable potential to cause or contribute to an instream excursion of water quality criteria. Those parameters with WLAs that are near effluent concentrations are evaluated for limits.

The VPDES Permit Regulation at 9VAC25-31-230.D requires that monthly and weekly average limitations be imposed for continuous discharges from POTWs and monthly average and daily maximum limitations be imposed for all other continuous non-POTW discharges.

Staff compared the treatment system capabilities, the Virginia Water Quality Standards (9VAC25-260), the EPA National Primary Drinking Water Standards and the *General VPDES Permit for Discharges from Petroleum Contaminated Sites*, *Groundwater Remediation and Hydrostatic Tests* (9VAC25-120 et seq.), in order to develop the appropriate limitations for this treatment system.

Benzene, toluene, ethylbenzene and xylene are common constituents of automotive gasoline. Effluent limitations for benzene, toluene and xylene were based on staff's best professional judgement regarding the removal capability of the air stripper during the last permit reissuance. These limitations are proposed to be carried forward with this reissuance.

The limitation for ethylbenzene was based on aquatic chronic toxicity documented in the Fact Sheet for the General VPDES Permit for Discharges from Petroleum Contaminated Sites, Groundwater Remediation and Hydrostatic Tests (9VAC25-120 et seq.); as was1,1,1-trichloroethane. These limitations will also be carried forward.

A limit of 15 μ g/L for 1,2-dichlorobenzene was based on chronic toxicity during the previous reissuance. This is more stringent than the limit set forth in the General VPDES Permit for Discharges from Petroleum Contaminated Sites, Groundwater Remediation and Hydrostatic Tests (9VAC25-120 et seq.) at 15.8 μ g/L. Due to antibacksliding provisions located at 9VAC25-31-220.L., staff proposes that the current limitation be carried forward with this reissuance.

The following effluent limitations were based on the Drinking Water Standards maximum permissible level of contamination (MCL) during the last reissuance and are proposed to be carried forward with this reissuance: 1,1-dichloroethylene; cis 1,2-dichloroethylene; trans 1,2-dichloroethylene; dichloroethylene; trichloroethylene (TCE); tetrachloroethylene (PCE); 1,2-dichloroethane; and vinyl chloride.

Chloroform limitations are based on the General VPDES Permit for Discharges from Petroleum Contaminated Sites, Groundwater Remediation and Hydrostatic Tests (9VAC25-120 et seq.) at 100 µg/L.

The effluent limitation for carbon tetrachloride was based on the Human Health related Water Quality Standards for Public Water Supplies during the last reissuance. It was staff's best professional judgement during that time that this limit was most protective of the receiving stream and public health even though this facility does not discharge into a public water supply. It is proposed the current limit be carried forward with this reissuance.

Table 4 summarizes the above discussion.

TABLE 4 EFFLUENT LIMITATION MATRIX (1)										
Parameter	Technology Installed	Drinking Water MCL	Water Quality Standards (2)	Petroleum General Permit ⁽³⁾	Best Professional Judgement ⁽⁴⁾	Proposed Effluent Limit				
Benzene	5	5	510	50		5				
Toluene	5	1,000	6000	175		5.				
Ethylbenzene		700	2100	320		320				
Total Xylene	5	10,000		33		5				
Dichloromethane		5				5				
Tetrachloromethane (Carbon Tetrachloride)		5	16	2.5	2	2				
1,1-Dichloroethylene (1,1 DCE)		7	7,100	7		7				
cis 1,2-Dichloroethylene		70	**	70		70				
trans 1,2-Dichloroethylene		100	10,000	100		100				
Trichloroethylene (TCE)	**	5	300	5		5				
Tetrachloroethylene (PCE)		5	33	5		5				
1,2-Dichloroethane (1,2 DCA)		5	370	990		5				
1,1,1 Trichloroethane		200		112		112				
Chloroform			11,000	100		100				
Vinyl Chloride		2	24	2		2				
1,2-Dichlorobenzene		600 ⁽⁵⁾	1,300	15.8	15	15				

⁽¹⁾ Units are in micrograms per liter (µg/L).

The total volatile organic compound (VOC) is limited so that VOCs that were not detected or evident during the issuance of this permit are not discharged in toxic amounts. The Total VOC limit is determined by totaling the limits of the individual VOCs of concern.

⁽²⁾ Human Health - All Other Surface Waters (effective 6 January 2011).

^{(3) 9}VAC25-120 et seq. (effective 26 February 2008).

⁽⁴⁾ Per last reissuance.

⁽⁵⁾ Primary Drinking Water MCL lists this pollutant as ortho-dichlorobenzene which is the same chemical.

c. Effluent Limitations and Monitoring, Outfall 001 - Conventional and Non-Conventional Pollutants

pH limitations are set at the water quality criteria.

d. Effluent Limitations and Monitoring Summary

The effluent limitations are presented in the following table. Limits were established for benzene; toluene; ethylbenzene; total xylene; carbon tetrachloride; chloroform; 1,1,1-trichloroethane; 1,2-dichlorobenzene; 1,1-dichloroethylene; cis 1,2-dichloroethylene; trans 1,2-dichloroethylene; dichloromethane; trichloroethylene (TCE); tetrachloroethylene (PCE); 1,2-dichloroethane; vinyl chloride and 1,2-dichlorobenzene.

Sample Types are in accordance with the recommendations in the VPDES Permit Manual.

The Sample Frequencies were reduced from once per calendar quarter to once per six (6) months (semi-annual) during the last reissuance based upon the permittee's request and performance of the air-stripper during the previous permit term. This frequency will be carried forward with this reissuance.

18. Antibacksliding:

All limits in this permit are at least as stringent as those previously established. Backsliding does not apply to this reissuance.

19. Effluent Limitations/Monitoring Requirements:

Maximum Flow of this remediation operation is 0.0144 MGD.

Effective Dates: During the period beginning with the permit's effective date and lasting until the expiration date.

PARAMETER	BASIS FOR	DIS	MONITORING REQUIREMENTS				
	LIMITS	Monthly Average	Daily Maximum	Minimum	<u>Maximum</u>	Frequency	Sample Type
Flow (MGD)	NA	NL	NA	NA	NL	1/ 6M	Estimate
pH	3	NA	NA	6.0 S.U.	9.0 S.U.	1/ 6M	Grab
Benzene	2,4	NA	NA	NA	5.0 μg/L	1/6M	Grab
Toluene	2	NA	NA	NA	5.0 μg/L	1/6M	Grab
Ethylbenzene	2,5	NA	NA	NA	320 μg/L	1/6M	Grab
Total Xylene	2	NA	NA	NA	5.0 μg/L	1/ 6M	Grab
Dichloromethane	2,4	NA	NA	NA	5.0 μg/L	1/ 6M	Grab
Tetrachloromethane (Carbon Tetrachloride)	2	NA	NA	NA	2.0 μg/L	1/6M	Grab
1,1-Dichloroethylene (1,1 DCE)	2,4,5	NA	NA	NA	7.0 μg/L	1/6M	Grab
cis 1,2-Dichloroethylene	2,4,5	NA	NA	NA	70 μg/L	1/6 M	Grab
trans 1,2-Dichloroethylene	2,4,5	NA	NA	NA	100 μg/L	1/ 6M	Grab
Trichloroethylene (TCE)	2,4,5	NA	NA	NA	5.0 μg/L	1/ 6M	Grab
Tetrachloroethylene (PCE)	2,4,5	NA	NA	NA	5.0 μg/L	1/6M	Grab
1,2-Dichloroethane (1,2 DCA)	2,4	NA	NA	NA	5.0 μg/L	1/6M	Grab
1,1,1 Trichloroethane	2,5	NA	NA	NA	112 μg/L	1/6M	Grab
Chloroform	2,5	NA	NA	NA	100 μg/L	1/6M	Grab
Vinyl Chloride	2,4,5	NA	NA	NA	2.0 μg/L	1/6M	Grab
1,2-Dichlorobenzene	2	NA	NA	NA	15 μg/L	1/6M	Grab
Total Volatile Organic Compounds (Total VOCs)	2	NA	NA	NA	763 μg/L	1/6M	Calculated

The basis for the limitations codes are:

1. Federal Effluent Requirements

2. Best Professional Judgement

Water Quality Standards

4. Primary Drinking Water Standards MCL

 General VPDES Permit Regulation for Discharges From Petroleum Contaminated Sites, Groundwater Remediation and Hydrostatic Tests (9VAC25-120 et seq.) MGD = Million gallons per day.

NA = Not applicable.

NL = No limit; monitor and report.

S.U. = Standard units.

Estimate = Reported flow is to be based on the technical evaluation of the sources contributing to the discharge.

Grab = An individual sample collected over a period of time not to exceed 15-minutes.

1/6M = Once every six (6) months.*

^{*}The semiannual monitoring periods shall be January through June and July through December.

The DMR shall be submitted no later than the 10th day of the month following the monitoring period.

20. Other Permit Requirements:

Part I.B. of the permit contains quantification levels and compliance reporting instructions

9VAC25-31-190.L.4.c. requires an arithmetic mean for measurement averaging and 9VAC25-31-220.D. requires limits be imposed where a discharge has a reasonable potential to cause or contribute to an in-stream excursion of water quality criteria. Specific analytical methodologies for toxics are listed in this permit section as well as quantification levels (QLs) necessary to demonstrate compliance with applicable permit limitations or for use in future evaluations to determine if the pollutant has reasonable potential to cause or contribute to a violation. Required averaging methodologies are also specified.

21. Other Special Conditions:

- a. O&M Manual Requirement. Required by VPDES Permit Regulation, 9VAC25-31-190.E. The permittee shall maintain a current Operations and Maintenance (O&M) Manual. The permittee shall operate the treatment works in accordance with the O&M Manual and shall make the O&M Manual available to Department personnel for review upon request. Any changes in the practices and procedures followed by the permittee shall be documented in the O&M Manual within 90 days of the effective date of the changes. Non-compliance with the O&M Manual shall be deemed a violation of the permit.
- b. <u>Materials Handling/Storage</u>. 9VAC25-31-50.A prohibits the discharge of any wastes into State waters unless authorized by permit. Code of Virginia §62.1-44.16 and §62.1-44.17 authorize the Board to regulate the discharge of industrial waste or other waste.
- c. <u>TMDL Reopener</u>. This special condition allows the permit to be reopened if necessary to bring it into compliance with any applicable TMDL that may be developed and approved for the receiving stream.
- 22. <u>Permit Section Part II.</u> Part II of the permit contains standard conditions that appear in all VPDES Permits. In general, these standard conditions address the responsibilities of the permittee, reporting requirements, testing procedures and records retention.

23. Changes to the Permit from the Previously Issued Permit:

- a. Special Conditions:
 - The Water Quality Criteria Reopener was removed with this reissuance since it is not applicable to this discharge.
- b. Monitoring and Effluent Limitations: None.
- c. Other:
 - Part II of the permit has been updated to include VELAP requirements.
- 24. Variances/Alternate Limits or Conditions: None.

25. Public Notice Information:

First Public Notice Date:

12 December 2012

Second Public Notice Date:

19 December 2012

Public Notice Information is required by 9VAC25-31-280 B. All pertinent information is on file and may be inspected, and copied by contacting the: DEQ Northern Regional Office; 13901 Crown Court; Woodbridge, VA 22193; Telephone No. (703) 583-3873; Douglas.Frasier@deq.virginia.gov. See **Attachment 9** for a copy of the public notice document.

Persons may comment in writing or by email to the DEQ on the proposed permit action, and may request a public hearing, during the comment period. Comments shall include the name, address and telephone number of the writer and of all persons represented by the commenter/requester and shall contain a complete, concise statement of the factual basis for comments. Only those comments received within this period will be considered. The DEQ may decide to hold a public hearing, including another comment period, if public response is significant and there are substantial, disputed issues relevant to the permit. Requests for public hearings shall state 1) the reason why a hearing is requested; 2) a brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requester, including how and to what extent such interest would be directly and adversely affected by the permit; and 3) specific references, where possible, to terms and conditions of the permit with suggested revisions. Following the comment period, the Board will make a determination regarding the proposed permit action.

VPDES PERMIT PROGRAM FACT SHEET

VA0089796 PAGE 10 of 10

This determination will become effective, unless the DEQ grants a public hearing. Due notice of any public hearing will be given. The public may request an electronic copy of the draft permit and fact sheet or review the draft permit and application at the DEQ Northern Regional Office by appointment.

26. Additional Comments:

Previous Board Action(s):

None.

Staff Comments:

None.

Public Comment:

No comments were received during the public notice.

EPA Checklist:

The checklist can be found in Attachment 10.

Fact Sheet Attachments Table of Contents

Nature Conservancy VA0089796 2013 Reissuance

Attachment 1	Flow Frequency Determination
Attachment 2	NPDES Permit Rating Worksheet
Attachment 3	Facility Schematic/Diagram
Attachment 4	Topographic Map
Attachment 5	Site Inspection Report
Attachment 6	Planning Statement
Attachment 7	Water Quality Criteria / Wasteload Allocation Analysis
Attachment 8	June 2008 – May 2012 Effluent Data
Attachment 9	Public Notice

EPA Checklist

Attachment 10

MEMORANDUM

DEPARTMENT OF ENVIRONMENTAL QUALITY - WATER DIVISION Water Quality Assessments and Planning 629 E. Main Street P.O. Box 10009 Richmond, Virginia 23240

Flow Frequency Determination

The Nature Conservancy - Issuance

TO: James Engbert, NRO

Paul E. Herman, P.E., WQAP FROM:

DATE: October 28, 1997

COPIES: Ron Gregory, Charles Martin, File

Northern VA. Region Dept. of Env. Quality

The Nature Conservancy is proposing a discharge to an unnamed tributary to Lubber Run in Arlington, VA. Stream flow frequencies are required at this site for use by the permit writer in developing effluent limitations for the VPDES permit.

At the discharge point, the receiving stream is a storm sewer which drains to Lubber Run. The flow frequencies for storm sewers are 0.0 cfs for the 1010, 7010, 3005, high flow 1010, high flow 7Q10, and harmonic mean. Flow frequencies have been determined for the perennial Lubber Run at the Fairfax Drive bridge.

The USGS operated a continuous record gage on the Fourmile Run at Alexandria, VA (#01652500) from 1951 to 1969, from 1973 to 1975 and from 1979 to 1982. The gage was located at the Shirlington Road bridge in Alexandria, VA. The flow frequencies for the gage and the discharge point are presented below. values at the Fairfax Drive bridge over Lubber Run were determined by drainage area proportions and do not address any withdrawals, discharges, or springs lying upstream.

Fourmile Run at Alexandria, VA (#01652500):

Drainage Area	= 13.8 mi ⁻	* :
1Q10 = 0.88 cfs	High Flow 1010 =	Cfs
7Q10 = 1.1 cfs	High Flow 7Q10 =	
30Q5 = 2.4 cfs		
3042 - 2.4 CIR	HM = 5.1	Cfs
Lubber Run at Fairfax D	ive bridge:	For such a small
	-	thainage area, it
Drainage Area	€ 0.61 mi ²	•
1010 = 0.04 cfs		
TATA - 0.04 CIS	Htnh Plaw 1010 =	as Is a dry stream.
7010 = 0.05 cfe	High Flow 1010 =	cfs is a dry stream.
7010 = 0.04 cfs 3005 = 0.11 cfs	High Flow 1Q10 = High Flow 7Q10 = HM = 0.23	cfs "H LOW

Attachment 1

7010 = O.

HM = 0.23 cfs

The high flow months were not contiguous, therefore, high flow frequencies could not be determined. If you have any questions concerning this analysis, please let me know.

								X	Regular Additio	n	
									Discretionary A	ddition	
VP	DES NO. : ၂	VA0089	9796	·				Ш	Score change,	but no status Cl	hange
									Deletion		
Faci	lity Name:	The Na	ture C	Conservar	тсу						
City	/ / County:	Arlingto	on / Ar	lington							
Receiv	ing Water:	Lubber	Run,	UT					,		
Wate	erbody ID:	VAN-A	12R								
	ility a steam ele			(sic =4911)	with one or				al separate storm	sewer serving	a
	ne following cha					<u> </u>	tion greater tha				
	utput 500 MW or	greater (not	using a	cooling pand	l/lake)	├ ───	S; score is 700	(stop	here)		
3. Cooling v	r power Plant water discharge g	reater than	25% of	the receiving	stream's 7Q10	X NO	; (continue)				
flow rater	naara ia 600 (at	an haral		IO: /aaatin:	\						
Yes; s	score is 600 (st	op nere)	X	NO; (continu	ie)						
	R 1: Toxic I	Pollutar	nt Pot	ential							
PCS SIC	Code:		Prir	mary Sic Co	de: 4959		Other Sic Cod	es:		_	
Industrial	Subcategory C	ode: <u>0</u>	00		(Code 000 if	f no subca	itegory)				
Datormina	e the Tovicity o	otential fro	m Ann	ondiv A. Re	cure to use t	ha TOTAI	tovicity notanti	al co	lumn and check	onel	
Toxicity		de Poi			cicity Group	Code	Points	ar co	Toxicity Grou	•	Points
No pro				, i,	•					•	
	streams) d)		3.	3	15		7.	7	35
X 1.		1 5	5		4.	4	20		8.	8	40
2.	2	2 1	0		5.	5	25		9.	9	45
					6.	6	30		10.	10	50
									Code Numbe	r Checked:	1
									Total Points	Factor 1:	5
FACTO	R 2: Flow/S	tream F	low \	/olume (d	Complete eithe	er Section	A or Section B;	chec	ck only one)		
Continu A	\0/= ataata	Elaw Oak		أم ممط			Cardina D. 181			. Fla Oamaida.	اه ۵۰
	. – Wastewater Vastewater Typ	-	consid			\/\/act	Section B – vv ewater Type		water and Strean Percent of Instream		
	see Instructions			Code	Points		Instructions)	•		Stream Low Flow	
Type I:	Flow < 5 MG	D		11	0					Code	Points
	Flow 5 to 10	MGD		12	10	Т	ype I/III:		< 10 %	41	0
	Flow > 10 to	50 MGD		13	20				10 % to < 50 %	42	10
	Flow > 50 MG	GD		14	30				> 50%	43	20
Type II:	Flow < 1 MG	D		21	10		Type II:		< 10 %	51	0
••	Flow 1 to 5 M	MGD		22	20		•		10 % to < 50 %	52	20
	Flow > 5 to 1	0 MGD		23	30				> 50 %	X 53	30
	Flow > 10 M(24	50						
.											
Type III:	Flow < 1 MG			31	0						
	Flow 1 to 5 M		Ш	32	10						
	Flow > 5 to 1		\square	33	20						
	Flow > 10 M(JD		34	30						
•								Cod	de Checked from	Section A or B	: 53
										oints Factor 2	

FACTOR 3: Conventional Pollutants

(only when limited by the permit)

A. Oxygen Demanding Pollutants: (che	ck one) BOD	COD	X Other: Volatile Organic C	Compounds
Permit Limits: (check one)	X < 100 lbs/day 100 to 1000 lbs/day > 1000 to 3000 lbs/day > 3000 lbs/day	Code 1 2 3 4	Points 0 5 15 20 Code Number Checked: Points Scored:	1 0
B. Total Suspended Solids (TSS)			_	
Permit Limits: (check one)	< 100 lbs/day 100 to 1000 lbs/day > 1000 to 5000 lbs/day > 5000 lbs/day	Code 1 2 3 4	Points 0 5 15	
			Code Number Checked:	NA
C. Nitrogen Pollutants: (check one)	Ammonia	Other:	Points Scored: _	0
FACTOR 4: Public Health Imp Is there a public drinking water supply I the receiving water is a tributary)? A pu ultimately get water from the above refe	ocated within 50 miles downstre ublic drinking water supply may erence supply.	Code 1 2 3 4 4 eam of the effluent dis include infiltration gal	Points 0 5 15 20 Code Number Checked: Points Scored: Total Points Factor 3: charge (this include any body of waleries, or other methods of conveyant	NA 0 0 ter to which
X NO; (If πο, go to Factor 5)				
Determine the <i>Human Health</i> potential the <i>Human Health</i> toxicity group column Toxicity Group Code Points	n – check опе below)			
No process 0 0		ode Points 3 0	Toxicity Group Code 7. 7	Points 15
waste streams		4 0	8. 8	20
2. 2 0	5.	5 5	9. 9	25
	6.	6 10	10. 10	30
			Code Number Checked: Total Points Factor 4:	NA 0

FACTOR 5: Water Quality Factors

A. Is (or will) one or more of the effluent discharge limits based on water quality factors of the receiving stream (rather than technology-base federal effluent guidelines, or technology-base state effluent guidelines), or has a wasteload allocation been to the discharge

	Code	Points
YES	1	10
X NO	2	0

B. Is the receiving water in compliance with applicable water quality standards for pollutants that are water quality limited in the permit?

	Code	Points
X YES	1	0
NO NO	2	5

C. Does the effluent discharged from this facility exhibit the reasonable potential to violate water quality standards due to whole effluent toxicity?

YES	Code 1				Points 10					
X NO	2				0					
Code Number Checked: Points Factor 5:	A -	2	- +	В В -	1 0	 C -	2	- <u>-</u>	0	

FACTOR 6: Proximity to Near Coastal Waters

A. Base Score: Enter flow code here (from factor 2) 53

HPRI#	Cada	LIDO! Cares	Enter the multiplication factor that corre	
nPKI#	Code	HPRI Score	Flow Code	Multiplication Factor
1	1	20	11, 31, or 41	0.00
_			12, 32, or 42	0.05
2	2	0	13, 33, or 43	0.10
_			14 or 34	0.15
3	3	30	21 or 51	0.10
_			22 or 52	0.30
4	4	0	23 or 53	0.60
			24	1.00
5	5	20		
HPRI code che	cked: 4			

B. Additional Points - NEP Program

For a facility that has an HPRI code of 3, does the facility discharge to one of the estuaries enrolled in the National Estuary Protection (NEP) program (see instructions) or the Chesapeake Bay?


C. Additional Points – Great Lakes Area of Concern For a facility that has an HPRI code of 5, does the facility discharge any of the pollutants of concern into one of the Great Lakes' 31 area's of concern (see instructions)?


	Code	Points						Code		Points			
	1	10						1		10			
X	2	0					X	2		0			
	Cor	de Number Checked:	Δ	4		В	2		_	2			
	4 0.		· · · · -						· -		_		
		Points Factor 6:	Α	0	+	В	0	+	С	0	=	0	

SCORE SUMMARY

Facto	<u>or</u>	<u>Description</u>	<u>Total F</u>	Points
1		Toxic Pollutant Potential	5	
2		Flows / Streamflow Volume	30). <u></u>
3		Conventional Pollutants	0	
4		Public Health Impacts	0	
5		Water Quality Factors	0	
6	P	roximity to Near Coastal Waters	0	
		TOTAL (Factors 1 through 6)	35	5
S1. Is the total score	e equal to or grater than 80	YES; (Facility is a Majo	or) X NO	0
S2. If the answer to	the above questions is no,	would you like this facility to be dis	cretionary major?	
X NO YES; (Add s Reason:	i00 points to the above scor	e and provide reason below:		
NEW SCORE :	35 35			
		Permit	Reviewer's Name : Phone Number:	Douglas Frasier (703) 583-3873

Date: 23 October 2012





Attachment 4



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Douglas W. Domenech Secretary of Natural Resources NORTHERN REGIONAL OFFICE 13901 Crown Court, Woodbridge, Virginia 22193 (703) 583-3800 Fax (703) 583-3821 www.deq.virginia.gov

David K. Paylor Director

Thomas Faha Regional Director

December 14, 2011

Mr. John Dwelly Vice President The Nature Conservancy 4245 Fairfax Drive Arlington, VA 22203

Re: The Nature Conservancy Inspection, Permit VA0089796

Dear Mr. Dwelly:

Attached is a copy of the Inspection Report generated while conducting a Facility Technical and Laboratory Inspection at The Nature Conservancy facility on November 17, 2011. This letter is not intended as a case decision under the Virginia Administrative Process Act, Va. Code § 2.2-4000 et seq. (APA). The compliance inspection staff would like to thank Mr. Justin Cooper and Mr. Danny King for their time and assistance during the inspection.

A written response regarding the items in the Request for Corrective Action is due to this office by January 15, 2012. Your response may be sent either via the US Postal Service or electronically, via E-mail. If you choose to send your response electronically, we recommend sending it as an <u>Acrobat PDF or in a Word-compatible</u>, write-protected format. Additional inspections may be conducted to confirm the facility is in compliance with permit requirements.

If you have any questions or comments concerning this report, please feel free to contact me at the Northern Regional Office at (703) 583-3909 or by E-mail at Rebecca. Johnson@deq.virginia.gov.

Sincerely,

Rebecca Johnson

Environmental Specialist II

cc: Permit/DMR File;

cc electronic: Compliance Manager; Compliance Auditor - DEQ

Mr. Justin Cooper, Tetra Tech

Mucca J. Johnson

Virginia Department of Environmental Quality

WASTEWATER FACILITY INSPECTION REPORT

FACILITY NAME: The Nature Conservancy			INSPECTION DATE:	11/17/11		
			INSPECTOR	Rebecca John	son	
PERMIT No.:	VA008979)6	REPORT DATE:	12/14/11		
TYPE OF FACILITY:	✓ Municipal✓ Industrial	Small Minor	TIME OF INSPECTION:	1020	1130	
	Federal		TOTAL TIME SPENT (including prep & travel)	9 H	ours	
PHOTOGRAPI	HS: ▼ Yes	□ No	UNANNOUNCED INSPECTIO	N? FY	es 🔽 No	
REVIEWED BY			0			
12/14/11						
PRESENT DUR	PRESENT DURING INSPECTION: Doug Frasier – DEQ Justin Cooper – Tetra Tech					
	Danny King - The Nature Conservancy					

TECHNICAL INSPECTION

1.	Has there been any new construction?	Γ Yes	▽ No
	 If so, were plans and specifications approved? 	1 168	J♥, 1NO
	Comments:		
2.	Is the Operations and Maintenance Manual approved and up-to-date?	▼ Yes	Γ No
	Comments:		
3.	Are the Permit and/or Operation and Maintenance Manual specified licensed operator being	▼ Yes	Г No
	met?		
	Comments:		
4.	Are the Permit and/or Operation and Maintenance Manual specified operator staffing	▼ Yes	Г No
	requirements being met?		
	Comments:		
5.	Is there an established and adequate program for training personnel?	₩ Yes	□ No
	Comments:	·	
6.	Are preventive maintenance task schedules being met?	▼ Yes	□ No
	Comments:		
7.	Does the plant experience any organic or hydraulic overloading? N/A	☐ Yes	┌ No
	Comments:		-
8.	Has there been any bypassing or overflows since the last inspection?	T Yes	▽ No
	Comments:	,	
9.	Is the standby generator (including power transfer switch) operational and exercised	☐ Yes	Г No
	regularly? N/A	<u> </u>	
	Comments:		
10.	Is the plant alarm system operational and tested regularly?	▼ Yes	Г No
	Comments:		- '

Permit #	VA0089796

TECHNICAL INSPECTION

11. Is sludge disposed of in accordance with the approved sludge management plan? N/A Comments:	r Yes	□ No				
12. Is septage received? N/A						
If so, is septage loading controlled, and are appropriate records maintained?	'	• • • •				
Comments:						
13. Are all plant records (operational logs, equipment maintenance, industrial waste contributors,	▼ Yes	□ No				
sampling and testing) available for review and are records adequate?						
Comments:	<u></u>					
14. Which of the following records does the plant maintain?		ļ				
Operational logs						
	il itie s)					
Comments:						
15. What does the operational log contain?						
✓ Visual observations ✓ Flow Measurement ✓ Laboratory results ✓ Process adjus	stments					
Control calculations Cother (specify)						
Comments:						
16. What do the mechanical equipment records contain?						
As built plans and specs Manufacturers instructions Lubrication schedules						
Spare parts inventory						
Other (specify)						
Comments:						
17. What do the industrial waste contribution records contain (Municipal only)? N/A						
☐ Waste characteristics ☐ Impact on plant ☐ Locations and discharge types						
Cother (specify)						
Comments:						
18. Which of the following records are kept at the plant and available to personnel?						
Equipment maintenance records Operational log Industrial contributor records		1				
☐ Instrumentation records ☐ Sampling and testing records						
Comments:						
19. List records not normally available to plant personnel and their location:						
Comments: Chain of Custodies, DMR's and pH calibration records						
20. Are the records maintained for the required time period (three or five years)?	▽ Yes	□ No				
Comments:						

Permit # VA0089796

UNIT PROCESS EVALUATION SUMMARY SHEET

UNIT PROCESS	APPLICABLE	PROBLEMS*	COMMENTS
Sewage Pumping			
Flow Measurement (Influent)		<u> </u>	
Screening/Comminution			1
Grit Removal			•
Oil/Water Separator			
Flow Equalization			
Ponds/Lagoons			
Imhoff Tank			
Primary Sedimentation			1 1 11(14)(11)(11)
Trickling Filter	**		
Septic Tank and Sand Filter			
Rotating Biological Contactor			
Activated Sludge Aeration	- 		
Biological Nutrient Removal		" " " " " " " " " " " " " " " " " " " 	
Sequencing Batch Reactor			
Secondary Sedimentation	+		
Flocculation	•		
Tertiary Sedimentation	+		
Filtration		- 	
Micro-Screening	-		
	-		No amphibance observed
Airstripper	X		No problems observed
Activated Carbon Adsorption	X		No problems observed
Chlorination			
Dechlorination			
Ozonation		 	
Ultraviolet Disinfection			
Post Aeration			
Flow Measurement (Effluent)	X		No problems observed
Land Application (Effluent)			· · · · · · · · · · · · · · · · · · ·
Plant Outfall	X		No problems observed
<u> </u>			
Sludge Pumping			
Flotation Thickening (DAF)			
Gravity Thickening			
Aerobic Digestion			
Anaerobic Digestion			
Lime Stabilization			
Centrifugation			
Sludge Press			•
Vacuum Filtration			
Drying Beds			
Thermal Treatment			
Incineration			
Composting			
Land Application (Sludge)			
	i		

- Problem Codes
- 1. Unit Needs Attention
- 2. Abnormal Influent/Effluent
- 3. Evidence of Equipment Failure

- 4. Unapproved Modification or Temporary Repair
- 5. Evidence of Process Upset
- 6. Other (explain in comments)

Permit #

VA0089796

INSPECTION OVERVIEW AND CONDITION OF TREATMENT UNITS

- Mr. Doug Frasier and I arrived onsite at 10:20 a.m. We met with Mr. Danny King, Chief Building Engineer.
- Mr. King escorted us to the parking garage where the treatment unit is located.
- The building is located on a former remediation site (gas station and auto repair shop)
- Groundwater drains to the lowest subgrade floor and is collected in the recovery sump.
- Samples are collected at the influent and effluent sample collection point of the airstripper. Photos 1 –
 3
- Water is then pumped through an airstripper to transfer the VOCs from water to air. Mr. Cooper informed DEQ staff that the airstripper is cleaned annually using simple green and a power washing unit. Photo 3
- The air passes through the carbon filtration unit before it is discharged to the atmosphere. Mr. King said the filters are changed monthly. The filter was changed November 15, 2011. **Photos 3 & 4**
- The flow is recorded via a totalizer.
- No problems were observed with any of the units.
- Mr. Frasier and I departed at 11:30 a.m.

Permit #	VA0089796

EFFLUENT FIELD DATA: N/A

Flow	MGD	Dissolved Oxygen	mg/L	TRC (Contact Tank)	mg/L
рН	S.U.	Temperature	°C	TRC (Final Effluent)	mg/L
Was a S	ampling Inspection co	nducted?	see Sampling Inspec	ction Report) 🔽 No	

CONDITION OF OUTFALL AND EFFLUENT CHARACTERISTICS:

	CONDITION OF OUTFALL A	OB BITEOBITE CILL	uiciliusiico.
1.	Type of outfall: Shore based Submerged	Diffuser?	Г No
2.	Are the outfall and supporting structures in good cond	dition?	Г No
3.	Final Effluent (evidence of following problems):	□ Sludge bar	☐ Grease
٠	Turbid effluent Visible foam	□ Unusual color	☐ Oil sheen
4.	Is there a visible effluent plume in the receiving stream	m?	Г №
5.	Receiving stream:	☐ Indication of problem	ns (explain below)
	<u>Comments:</u> The facility has influent and effluent problems were observed.	sample collection points	at the treatment unit. No
<u> </u>			

REQUEST for CORRECTIVE ACTION:

- 1. Submit documentation of the initial demonstration of capabilities (IDC) for the next monitoring event to DEQ-NRO. See the attached document for instructions on how to complete the IDC.
- 2. Submit documentation from Field Environmental of the annual certification of the pH meter against an NIST thermometer for the next monitoring event to DEQ-NRO.

NOTES and COMMENTS:

The facility appeared to be well maintained. Both Mr. King and Mr. Cooper should be commended on their efforts at maintaining a well cleaned treatment unit.

LABORATORY INSPECTION REPORT SUMMARY

FACILITY NAME:	FACILITY NO:	INSPECTION DATE:
The Nature Conservancy	VA0089796	November 17, 2011
(X) Deficiencies	() No Deficiencies	
LABO	RATORY RECORDS	
The Laboratory Records section had No Deficiencies n	noted during the inspection.	
GENERAL SA	AMPLING AND ANALYSIS	2.17
The General Sampling and Analysis section had No De	ficiencies noted during the inspection	n.
LABOR	RATORY EQUIPMENT	15-15 11-15-15
The Laboratory Equipment section had No Deficiencies	s noted during the inspection.	
INDIVIE	DUAL PARAMETERS	11 11 12 14
	рН	
The analysis for the parameter pH had Deficiencies not	ted during the inspection.	

- The initial demonstration has not been performed for the operations staff.
- There was no documentation of the annual NIST certification for the pH meter rented by the facility.

DEPARTMENT OF ENVIRONMENTAL QUALITY - WATER DIVISION LABORATORY INSPECTION REPORT

10/01

	LITY NO: 1089796	INSPECTION DATE: November 17, 2011	LAST INSPECTION: November 1, 2006		PREVIOUS EVA No Deficie		N:	TIME SPENT: 1 hours
NAME The Na 4245 F		OF FACILITY: servancy ve	FACILITY CLASS: () MAJOR () MINOR	FA (CILITY TYPE:) MUNICIPAL		INS () (X)	ANNOUNCED PECTION? YES NO
			(X) SMALL () VPA/NDC	(•	LAB	INS (X)	SCHEDULED PECTION?) YES NO
Rebec	CTOR(S): ca Johnso	on .	REVIEWERS:) 	PRESENT AT INS Mr. King and Mr.			
·.'		LABORATO	RY EVALUATION				DEFIC	CIENCIES?
						Υ	es	No
LABO	RATORY R	ECORDS						x
GENE	RAL SAMP	LING & ANALYSIS						х
LABO	RATORY E	QUIPMENT						X
QUAL	TIY ASSUR	ANCE/QUALITY CONTRO	OL					х
pH AN	IALYSIS PR	ROCEDURES				7	K	
		QUA	LITY ASSURANCE/QUAL		CONTROL		1.2	1
Y/N	QUALITY	ASSURANCE METHOD	PARAMETERS			FRE	QUEN	ICY
	REPLICA	ATE SAMPLES				1	*	
	SPIKED	SAMPLES						
	STANDA	RD SAMPLES	pH			Daily	y as ı	needed
	SPLIT SA	AMPLES						
	SAMPLE	BLANKS						
	OTHER							
	EPA-DMI	R QA DATA?	RATING: (X)	No [Deficiency () Defi	ciency	()N	IA
	QC SAM	PLES PROVIDED?			eficiency () Defi			

						FACILITY	#. VA00	89796
		LABO	RATORY RECORDS SECTION	N				
LABO	RATORY RECORDS INCLUDE THE	FOLLO	OWING:					
Х	SAMPLING DATE	х	ANALYSIS DATE		CONT MO	ONITORING	G CHAR	Т
х	SAMPLING TIME	х	ANALYSIS TIME	Х	INSTRUM	IENT CALI	BRATIO	N
х	SAMPLE LOCATION	х	TEST METHOD	х	INSTRUM	IENT MAIN	ITENAN	CE
	J		J	х	CERTIFIC	CATE OF A	NALYSI	s
WRIT	TEN INSTRUCTIONS INCLUDE THE	FOLLO	WING:	<u> </u>	<u> </u>			
х	SAMPLING SCHEDULES		CALCULATIONS	х	ANALYSI	S PROCE	DURES	
		Marie Trans				YES	NO	N/A
DO A	L ANALYSTS INITIAL THEIR WOR	K?				Х		
DO B	ENCH SHEETS INCLUDE ALL INFO	DRMATI	ON NECESSARY TO DETERM	INE RE	SULTS?	х		
	E DMR COMPLETE AND CORRECTION Of CORRECTION OF COMPLETE AND CORRECT OF COMPLETE AND COMPLETE AND COMPLETE AND COMPLETE AND CORRECT OF COMPLETE AND	T? MON	TH(S) REVIEWED: Jan – Jun	ne 2010,	June –	х		
ARE /	ALL MONITORING VALUES REQUI	RED BY	THE PERMIT REPORTED?			х		
	GEN	ERAL S	SAMPLING AND ANALYSIS S	SECTION	1			
			44	in the second se	1 page 11	YES	NO	N/A
ARE	SAMPLE LOCATION(S) ACCORDIN	G TO P	ERMIT REQUIREMENTS?			х		
ARE	SAMPLE COLLECTION PROCEDU	RES AP	PROPRIATE?			Х		
IS SA	MPLE EQUIPMENT CONDITION A	DEQUAT	ΓΕ?			Х		
IS FL	OW MEASUREMENT ACCORDING	TO PER	RMIT REQUIREMENTS?			Х		
ARE	COMPOSITE SAMPLES REPRESE	NTATIV	E OF FLOW?					Х
ARE:	SAMPLE HOLDING TIMES AND PR	RESERV	'ATION ADEQUATE?			х		
ADEC (TCE, Chlore Dichle	ALYSIS IS PERFORMED AT ANOT QUATE? LIST PARAMETERS AND Ethylbenzene, Vinyl Chloride, Benzen oform, Carbon Tetrachloride, VOCs, X proethane, Trans-1,2-dichloroethylene I Laboratories Inc. (VELAP ID: 46	NAME a ne, 1,1,1 1 (ylene, 1, e, Cis -1,2	& ADDRESS OF LAB: frichloroethane, Tetrachloroeth ,1 Dichloroethlyene, Dichlorobe	lyene, To nzene, 1,	luene, 2,	x		
1025	Cromwell Bridge Road nore, MD 21286							
		LABO	RATORY EQUIPMENT SECTI	ON				
		With the second				YES	NO	N/A
IS LA	BORATORY EQUIPMENT IN PROP	ER OPE	ERATING RANGE?		and the second second second second	х		
ARE	ANNUAL THERMOMETER CALIBRA	ATION(S	6) ADEQUATE?			х		
IS TH	E LABORATORY GRADE WATER	SUPPLY	' ADEQUATE?					х
ARE /	ANALYTICAL BALANCE(S) ADEQU	JATE?						Х

ANALYST:	Justin Cooper	VPDES NO	VA0089796
	odomi obopo.		***************************************

Parameter: Hydrogen Ion (pH)

Method: Electrometric

01/08

Meter: Field Environmental Rental Equipment

METHOD OF ANALYSIS 18th Edition of Standard Methods-4500-H-B X 21st or On-Line Edition of Standard Methods-4500-H-B (00) pH is a method defined analyte so modifications are not allowed. [40 CFR Part 136.6] Υ Ν Is a certificate of operator competence or initial demonstration of capability available for each 1) analyst/operator performing the analysis? NOTE: Analyze 4 samples of known pH. May use X external source of buffer (different lot/manufacturer than buffers used to calibrate meter). Recovery for each of the 4 samples must be \pm 0.1 SU of the known concentration of the sample. [SM 1020 B.1] 2) Is the electrode in good condition (no chloride precipitate, etc.)? *See [2.b/c and 5.b] Comments 3) Is electrode storage solution in accordance with manufacturer's instructions? [Mfr.] Is meter calibrated on at least a daily basis using three buffers all of which are at the same X temperature? [4.a] NOTE: Follow manufacturer's instructions. 5) After calibration, is a buffer analyzed as a check sample to verify that calibration is correct? X Agreement should by within ± 0.1 SU. [4.a] 6) Do the buffer solutions appear to be free of contamination or growths? [3.1] 7) Are buffer solutions within their listed shelf life or have they been prepared within the last 4 weeks? *See 8) Is the cap or sleeve covering the access hole on the reference electrode removed when measuring Comments 9) For meters with ATC that also have temperature display, was the thermometer calibrated annually? [SM2550 B.1] 10) Is the temperature of buffer solutions and samples recorded when determining pH? Χ 11) Is sample analyzed within 15 minutes of collection? [40 CFR 136.6] 12) Was the electrode rinsed and then blotted dry between reading solutions (Disregard if a portion of the *See next sample analyzed is used as the rinse solution)? [4.a] Comments 13) Is the sample stirred gently at a constant speed during measurement? [4.b] 14) Does the meter hold a steady reading after reaching equilibrium? [4.b] 15) Is a duplicate sample analyzed after every 20 samples if citing 18th or 19th Edition [1020 B.6] or daily NA for 20th or 21th Edition [Part 1020] Note: Not required for in situ samples. 16) Is pH of duplicate samples within 0.1 SU of the original sample? [Part 1020] NA 17) Is there a written procedure for which result will be reported on DMR (Sample or Duplicate) and is this NA procedure followed? [DEQ]

COMMENTS:

9) Ensure the thermometer is certified against an NIST thermometer annually. On December 13, 2011, I spoke with the technician at Field Environmental and he informed me that a request must be made by the customer in order to ensure the pH meter that is rented to the customer is certified against an NIST thermometer. See Request for Corrective Action for more details.

*Mr. Cooper rents a pH meters from Field Environmental to analyze the effluent pH at the facility. A thorough inspection of the pH meter was not conducted. According to the technician that I spoke to on December 13, 2011, Field Environmental services and calibrates the pH meter according to the manufacturer's specification.

To:

Douglas Frasier

From:

Jennifer Carlson

Date:

July 27, 2012

Subject:

Planning Statement for The Nature Conservancy

Permit Number:

VA0089796

Information for Outfall 001:

Discharge Type: Industrial – groundwater treatment system (carbon/air stripper)

Discharge Flow: 0.0144 MGD

Receiving Stream: UT to Lubber Run Latitude / Longitude: 38 52 57/-77 06 45

Rivermile: 0.27 Streamcode: 1aXHX Waterbody: VAN-A12R

Water Quality Standards: Class III, Section 7, sp stds. b

1. Please provide water quality monitoring information for the receiving stream segment. If there is not monitoring information for the receiving stream segment, please provide information on the nearest downstream monitoring station, including how far downstream the monitoring station is from the outfall.

This facility discharges to an unnamed tributary to Lubber Run (storm sewer). There is not any water quality monitoring data for the receiving stream. The nearest downstream DEQ monitoring station is 1aFOU004.22, located on Fourmile Run at the Route 244 bridge crossing, approximately 2.4 miles downstream of Outfall 001. The following is the water quality summary for this segment of Fourmile Run, as taken from the Draft 2012 Integrated Report*:

Class III, Section 7, special stds. b.

DEQ ambient monitoring stations 1aFOU001.92, at West Glebe Road, 1aFOU002.02, upstream of South Glebe Road, 1aFOU004.22, at Route 244, and 1aFOU005.60, at Carlyn Springs Road. Citizen monitoring stations 1aFOU-1-ACM, 1aFOU-2-ACM, 1aFOU-3-ACM, 1aFOU-4-ACM, 1aFOU-5-ACM, 1aFOU-6-ACM, 1aFOU-7-ACM, 1aFOU-8-ACM, 1aFOU-9-ACM, and 1aFOU-11-ACM.

E. coli monitoring finds a bacterial impairment, resulting in an impaired classification for the recreation use. The E. coli data collected by the citizen monitoring group indicate that a water quality issue may exist for the recreation use. A bacteria TMDL for the Fourmile Run watershed has been completed and approved.

The aquatic life and wildlife uses are considered fully supporting, with the aquatic life use noted with observed effects, described above.

The fish consumption use is fully supporting with observed effects. SPMD data revealed an exceedance of the human health criteria of 0.64 parts per billion (ppb) for polychlorinated biphenyls (PCBs), which is noted with an observed effect. A PCB TMDL for the tidal Potomac River watershed has been completed and approved.

- * The Draft 2012 Integrated Report (IR) has been through the public comment period and reviewed by EPA. The 2012 IR is currently being finalized and prepared for release.
- 2. Does this facility discharge to a stream segment on the 303(d) list? If yes, please fill out Table A.

No.

3. Are there any downstream 303(d) listed impairments that are relevant to this discharge? If yes, please fill out Table B.

Yes.

Table B. Information on Downstream 303(d) Impairments and TMDLs

Waterbody Name	Impaired Use	Cause	Distance From Outfall	TMDL completed	WLA	Basis for WLA	TMDL Schedule
Impairment l	Information in tl	ne Draft 2012 Inte	grated Rep	ort*			
Fourmile Run	Recreation	E. coli	1.5 miles	Four Mile Run Bacteria 5/31/2002	None		N/A
Fourmile	Fish	РСВ	5.1 miles	Tidal Potomac PCB 10/31/2007	None		N/A
Run (Tidal)	Consumption	Chlordane	5.1 miles	N/A			2022

^{*}The Draft 2012 Integrated Report (IR) has been through the public comment period and reviewed by EPA. The 2012 IR is currently being finalized and prepared for release.

4. Is there monitoring or other conditions that Planning/Assessment needs in the permit?

In support of the Potomac River PCB TMDL that was developed in 2007, this facility is a candidate for low-level PCB monitoring, based on its Standard Industrial Classification (SIC) code. Low-level PCB analysis uses EPA Method 1668B, which is capable of detecting low-level concentrations for all 209 PCB congeners. The Assessment/TMDL Staff has concluded that low-level PCB monitoring is not warranted for this facility, as it is not expected to be a source of PCBs. Based on this information, this facility will not be requested to monitor for low-level PCBs.

There is a completed downstream TMDL for the aquatic life use impairment for the Chesapeake Bay. However, the Bay TMDL and the WLAs contained within the TMDL are not addressed in this planning statement.

5. Fact Sheet Requirements – Please provide information regarding any drinking water intakes located within a 5 mile radius of the discharge point.

There are no public water supply intakes within a 5 mile radius of this facility's outfall.

FRESHWATER WATER QUALITY CRITERIA / WASTELOAD ALLOCATION ANALYSIS

Facility Name:

The Nature Conservancy

Lubber Run, UT

Receiving Stream:

Permit No.: VA0089796

Version: OWP Guidance Memo 00-2011 (8/24/00)

Stream Information		Stream Flows		Mixing Information		Effluent Information	
Mean Hardness (as CaCO3) =	mg/L	1Q10 (Annual) =	0 MGD	Annual - 1Q10 Mix =	% 0	Mean Hardness (as CaCO3) =	20 mg/L
90% Temperature (Annual) =	O deb	7Q10 (Annual) =	O MGD	- 7Q10 Mix =	% O	90% Temp (Annual) =	25 deg C
90% Temperature (Wet season) =	O deg	30Q10 (Annual) =	0 MGD	- 30Q10 Mix =	% 0	90% Temp (Wet season) =	15 deg C
90% Maximum pH =	S	1Q10 (Wet season) =	O MGD	Wet Season - 1Q10 Mix =	% 0	90% Maximum pH =	8.1 SU
10% Maximum pH ≃	ns	30Q10 (Wet season)	O MGD	- 30Q10 Mix =	% 0	10% Maximum pH =	7.4 SU
Tier Designation (1 or 2) =	-	3005 =	O MGD			Discharge Flow =	0.0144 MGD
Public Water Supply (PWS) Y/N? =	c	Harmonic Mean =	0 MGD				
Trout Present Y/N? =	c						
Early Life Stages Present Y/N? =	>-						

Parameter	Background		Water Quality Criteria	y Criteria		Was	Wasteload Aflocations	cations		A	Antidegradation Baseline	n Baseline		An	Antidegradation Altocations	Altocations		_	Most Limitin	Most Limiting Allocations	
(ng/l unless noted)	Conc.	Acute	Chronic HH (PWS)	H (PWS)	표	Acute Chr	Chronic HH (PWS)	(PWS)	Ŧ	Acute	Chronic Hi	HH (PWS)	HH	Acute	Chronic	HH (PWS)	¥	Acute	Chronic	HH (PWS)	. ≢
Acenapthene	0	-	:	eu	9.9E+02	1	,	na 9.	9.9E+02		1	;			;	ı	ı	1	ı	2	9.9E+02
Acrolein	0	;	t	e	9.3E+00	1	,	na 9.	9.3E+00	:	,	ı	t	;	1	t	;		ı	ē	9.3E+00
Acrylonitrile ^c	0	1	ı	e.	2.5E+00	1	,	na 2.	2.5E+00	1	1	:	ı	;	1	ì	ı	1	:	n e	2.5E+00
Aldrin ^c	0	3.0E+00	ŧ	na eu	5.0E-04	3.0E+00	,	na 5	5.0E-04	ı	1	ŀ	1	1	1	1	:	3.0E+00	:	2	5.0E-04
Ammonia-N (mg/l) (Yearly)	0	6.95E+00	1.07E+00	ē	!	6.95E+00 1.07E+00		P.	ı	;	1	ı	1	:	;	ı	1	6.95E+00	1.07E+00	па	1
Ammonia-N (mg/l) (High Flow)	0	6.95E+00	2.03E+00	ē	ı	6.95E+00 2.03E+00		na	1	ı	ı	ı	1	ı	ŧ	1		6.95E+00	2.03E+00	вп	ı
Anthracene	0	ţ	ı	E EL	4.0E+04	;	1	na 4.	4.0E+04	;	ı	ı	1	ż	ŀ	ı	į	:	:	e E	4.0E+04
Antimony	0	:	:	e u	6.4E+02	,		na 6.	6.4E+02	ì	ı	;	!	ı	ı	.1	ı	:	;	8	6.4E+02
Arsenic	0	3.4€+02	1.5E+02	ВП	1	3,4E+02 1.56	1.5E+02	БП	1	1	;	ţ	ı	1	ı		ı	3.4E+02	1.5E+02	ē	ı
Barium	0	1	ı	eu eu	1		1	5	1	ı	ı	ı	1	•	ł	ı	1	:	:	ē	:
Benzene ^c	0	ı	ı	B	5.1E+02	ı	,	na 5.	5.1E+02	:	ı	ı	1	ı	ı	ı	1	ı	;	8	5.1E+02
Benzidine ^c	0	ı	ı	na e	2.0E-03		:	na 2	2.0E-03	;	;	;	1	1	ı	ı	ı	ı	;	ē	2.0E-03
Benzo (a) anthracene ^c	0	t	1	BC	1.8E-01	t	t	na 1	1.8E-01	;	;	;	ı	1	1	,	ı	1	ı	ъ	1.8E-01
3enzo (b) fluoranthene ^c	0	t	ì	Ba	1.8E-01	ı	1	na 1	1.8E-01	ı	ı	;	1	1	1	1	1	:	ı	2	1.8E-01
3enzo (k) fluoranthene ^c	0	ı	ţ	5	1.8E-01	ı	t	Ta 1	1.8E-01	ŀ	1	;	1	1	1	1	1	:	:	ē	1.8E-01
Зепzo (a) pyrene ^с	0	ı	ı	æ	1.8E-01	ı	ı	na 1	1.8E-01	ŧ	ı	:	1	ı	;	ı	1	;	ı	2	1.8E-01
3is2-Chloroethyl Ether ^C	0		ı	eu	5.3E+00	ı		na 5.	5.3€+00	ı	ı	ì	ı	ŧ	1	;	ı	;	:	en	5.3€+00
3is2-Chloroisopropyt Ether	0	!	ı	8	6.5E+04	1	1	na 6.	6.5E+04	;	ı	:	1	ı	ŀ	ì	ŀ	;	,	E	6.5E+04
t 3is 2-Ethylhexyl Phthalate c	0	1	ı	6	2.2E+01	1	1	na 2.	2.2E+01	1	1	1	1	ı	ł	ı	ı	:	1	na	2.2E+01
aromotorm c	0	t	ţ	e tu	1.4E+03		,	na 1.	1.4E+03	í	1	•	ı	1	ŀ	ı	1	:	1	2	1.4E+03
3utylbenzylphthalate	0	:	ı	13	1.9E+03	;	ı	na 1.	1.9E+03	;		ì	····	ı	ı	;	ı	;	:	2	1.9E+03
	0	1.8E+00	6.6E-01	e c	1	1.8E+00 6.6I	6.6E-01	na		ı	ı	1	1	ı	ı	ı	}	1.8E+00	6.6E-01	D.	;
3 Sarbon Tetrachloride c	0	:	:	na er	1.6E+01	;	ì	na 1.	1.6E+01	:		1	1	1	1	ı	ı	:	ı	ē	1.6E+01
Thordane c	0	2.4E+00	4.3E-03	en.	8.1E-03	2.4E+00 4.3l	4 3E-03	na 8	8.1E-03		1	1	1	1	1	ı	ı	2.4E+00	4.3E-03	ec	8.1E-03
2 Shloride	0	8.6E+05	2.3E+05	S.	1	8.6E+05 2.36	2.3E+05	ē	,	1	1	1	ı	t	;	ı	1	8.6E+05	2.3E+05	æ	:
IRC	0	1.9E+01	1.1E+01	en e	1	1.9E+01 1.16	1,1E+01	na	,	;	:	ı	;	ı	ı	ş	1	1.9E+01	1.1E+01	na	ı
Chlorobenzene	0	:	1	na en	1.6E+03			na 1.	1.6E+03	1	1	1	ţ	;	1	ı	:	:	ı	Dā	1.6E+03

10/23/2012 - 2:08 PM

Parameter	Background		Water Quality Criteria	ality Criter	12	L	Wastelo	Wasteload Allocations	IIS		Anlidegrada	Anlidegradation Baseline		₩ 	Antidegradation Allocations	Allocations			Most Limiting Allocations	Allocations	
(ug/l unless noted)	Conc.	Acute	Chronic	Chronic HH (PWS)	S) HH	Acute	Г	Chronic HH (PWS)	E (S	Acute	Chronic	HH (PWS)	于	Acute	Chronic	HH (PWS)	Ŧ	Acute	Chronic	HH (PWS)	Ŧ
Chlorodibromomethane ^c	0			Ē	1.3E+02	2		e.n	1.3E+02	1	ı	ı	1	-	1	ţ	1	:	:	na	1.3E+02
Chloroform	0	í	1	g	1.15+04		;	ā	1.1E+04	1	ı	ŧ	,	ı	ŀ	ŧ	ı	:	4	13	1.1E+04
2-Chloronaphthalene	0	ı	ı	핕	1.6E+03	۱ ۳	ı	na	1.6E+03	i	1	ţ	1	ı	ı	ı	ı	;	,	e	1.6E+03
2-Chioraphenot	0	1	ı	2	1.5E+02	- 1	ı	E C	1.5E+02	ı	ı	;	t	1	ı	ı	ı	1		en e	1.5E+02
Chlorpyrifos	0	8.3E-02	4.1E-02	Bu	1	8.3E-02	32 4.1E-02	na	ı	ı	1	;	ı	1	ı	1	ı	8.3E-02	4.1E-02	na	:
Chromium III	0	3.2E+02	4.2E+01	Pa	ı	3.2E+02	02 4.2E+01	Б П	ı	1	ı	;	,	ı	1	1	ı	3.2E+02	4.2E+01	na	:
Chromium VI	0	1.6E+01	1.1E+01	e G	;	1.6E+01	01 1.1E+01	en na	•	ı	ŀ	ı	t	ı	ŀ	ı	t	1.6E+01	1.1E+01	na	t
Chromium, Total	0	t	ı	1.0E+02	2	'	ı	ā	1	1	ı	1	ı	ı	t	ı	·	t	:	ē	:
Chrysene ^c	0	1	1	6	1.8E-02	1	ı	na	1.8E-02	ı	ı	1	ı	,	;	ı	ı	1		ē	1.8E-02
Copper	o	7.0E+00	5.0E+00	na	!	7.0E+00	00 5.0E+00	o na	;	ı	1	1	ı	ı	1	ı	1	7.0E+00	5.0E+00	eu	ı
Cyanide, Free	٥	2.2E+01	5.2E+00	na	1.6E+04	4 2.2E+01	01 5.2E+00) na	1.6E+04	ı	ì	1	;	1	ı	ı	ì	2.2E+01	5.2E+00	па	1.6E+04
ې م مم	o	t	ı	Ē	3.1E-03	ا 	ı	ē	3.1E-03	ı	ı	;	ı	1	r	1	1	ì	:	na	3.1E-03
00€ €	0	ı	ı	ē	2.2E-03	-	1	ā	2.2E-03	1	1	1	1	1	ı	ı	ı	;	,	ē	2.2E-03
DDT °	0	1.1E+00	1.0E-03	<u>B</u>	2.2E-03	3 1.1E+00	00 1.0E-03	na v	2.2E-03	ı	i	ı	,	ı	ı	ı	;	1.1E+00	1.0E-03	па	2.2E-03
Demeton	•	ŧ	1.0E-01	53	;	•	1.0E-01	eu I	;	ı	ı	ì	ı	ŧ	1	ı	ı	:	1.0E-01	eu	1
Diazinon	Ģ	1.7E-01	1.7E-01	na	ł	1.7E-01	1.7E-01	па	ı	;	ŧ	;	ı	ı	1	1	1	1.7E-01	1.7E-01	na	1
Dibenz(a,h)anthracene ^c	٥	ï	ŀ	Ē	1.8E-01		ţ	na	1.8E-01	ı	ţ	t	1	ı	ì	ı	t	:	:	na Bu	1.8E-01
1,2-Dichtorobenzene	•	1	;	БГ	1.3E+03	- -	ı	a	1.3E+03	ı	ŀ	ı	ı	1	ł	ı		:		ng	1.3E+03
1,3-Dichlorobenzene	0	!	;	na	9.6E+02	- 2	1	na	9.6E+02	1	1	ı	ı	ı	ı	ı	ı	1	1	ec.	9.6E+02
1,4-Dichlorobenzene	0	1	1	Б	1.9E+02		1	a	1.9E+02	ı	ı	ı	ı	1	ı	ı	1	:	:	ē	1.9E+02
3,3-Dichlorobenzidine ^c	0		ı	E C	2.8€-01		1	ē	2.8E-01	ı	ı	t	t	ı	ı	ı	. 1	:		eu.	2.8E-01
Dichlorobromomethane ^c	0	ı	ł	6	1.7E+02		1	æ	1.7E+02	ŀ	ı	ı	ı	ı	ŀ	ı	ì	ı		2	1.7E+02
1,2-Dichloroethane ^c	0	·	1	a	3.7E+02		1	ū	3.7E+02	ı	ı	ı	ŧ	1	ı	ı	ı	:	ſ	na	3.7E+02
1,1-Dichloroethylene	0	:	i	E	7.1E+03	ا و	1	E	7.1E+03	}	ı	ı	1	ı	ŀ	t	ŧ	1		en B	7.1E+03
1,2-trans-dichloroethylene	0	1	;	E	1.0E+04		ı	Па	1.0E+04	t	;	1	;	1	ı	;	ı	;		na	1.0E+04
2,4-Dichlorophenol	0	ı	ı	ē	2.9E+02	- 2	·	Ē	2.9E+02	t	ı	ı	ı	ţ	1	1	ŀ	:	:	na	2.9E+02
2,4-Dichlorophenoxy acetic acid (2.4-D)	0	ı	;	ם	,	-	!	E	ı	1	1	,		;	;	ı	ı	;	ı	na	;
1,2-Dichloropropane ^c	0	ı	ı	2	1.5E+02		1	ē	1.5E+02	ı	1	ı	ı	ı	ı	t	1	;	;	ē	1.5E+02
1,3-Dichloropropene ^C	0	1	ì	28	2.1E+02	- 2	ı	ē	2.1E+02	1	1	;	1	ı	ı	ı	ı	1	,	na	2.1E+02
Dieldrin ^c	0	2.4E-01	5.6E-02	22	5.4E-04	2.4E-01)1 5.6E-02	na	5.4E-04	1	ł	1	,	ı	1	1	ŧ	2.4E-01	5.6E-02	Bu	5.4E-04
Diethyl Phthalate	0	t	ı	e.	4,4E+04	 	ı	g	4.4E+04	ı	1	ı	ı	ı	ì	ı	ı	;	:	ē	4.4E+04
2,4-Dimethylphenol	0	ı	;	na	8.5E+02	1	:	E	8.5E+02	1	1	1	1	ı	1	ı	ı	1	,	ē	8.5E+02
Dimethyl Phthalate	0	1	1	a	1.1E+06	"	1	na	1.15+06	١	ı	ı	ı	ı	1	1	1	:	,	na Bu	1.1E+06
Di-n-Butyl Phthalate	0		ı	na	4.5E+03	1 	1	na	4.5E+03	ı	1	1	ı	1	ŀ	ı	ı	:	:	na eu	4.5E+03
2,4 Dinitrophenal	0		ł	a	5.3E+03	:	1	E	5.3E+03	ı	ł	t	ı	1	i	ı	ı		1	EU.	5.3E+03
2-Methyl-4,5-Dinitrophenol	0	1	ı	eu	2.8E+02	-	ı	ē	2.8E+02	;	ı	ı	ı	1	1	ı	ı	1		2	2.8E+02
2,4-Dinitrotoluene ^c	0	٠	í	ē	3.4E+01	· -	1	e.	3.4E+01	i	. 1	1	ı	ı	1	1	:	1	ı	ā	3.4E+01
tetrachtorodibenzo-p-dioxin	0		ı	2	5.15-08	- 	1	ē	5.1E-08	ı	1	1	;	ŧ	1	1	ł	ı	:	ē	5.1E-08
1.2-Diphenylhydrazine ^c	0		ı	ē	2.0E+00		t	<u>6</u>	2.0E+00	;	ı	t	ı	ı	1	î	1	:	,	Ē	2.0E+00
Alpha-Endosuífan	0	2.2E-01	5.6E-02	ē	8.9E+01	1 2.2E-01	31 5.6E-02	eg.	8.9E+01	1	;	1	ı	ı	ı	;	ı	2.2E-01	5.6E-02	n	8.9E+01
Beta-Endosulfan	0	2.2E-01	5.6E-02	ē	8.9E+01	2.2E-01	31 5.6E-02	e.	8.9E+01	:	:	ı	1	ı	!	ı	ı	2.2E-01	5.6E-02	ec.	8.9E+01
Alpha + Beta Endosulfan	0	2.2E-01	5.6E-02	1	1	2.2E-01	31 5.6E-02	1	1	1	t	t	1	ı	1	1	1	2.2E-01	5.6E-02	ı	:
Endosulfan Sulfate	0	•	t	ē	8.9E+01	_	1	2	8.9E+01	ı	1	ŧ	,	ı	ı	1	1	1	ı	na	8,9E+01
Endrin	o	8.6E-02	3.6E-02	2	6.0E-02	8.6E-02	3.6E-02	B E	6.0E-02	ł	ı	ı	ı	ı	ŧ	t	ı	8.6E-02	3.6E-02	ē	6.0E-02
Endnin Aldehyde	0	ı	1	2	3.0E-01	-	1	na	3.0E-01	!	;	1	:	1	ŀ	ı	1	:	ı	2	3.0E-01

Parameter	Background		Water Quality Criteria	ity Criteria			Wasteload Allocations	ocations		An	Antidegradation Baseline	Baseline		Antidegra	Antidegradation Allocations	s	×	Most Limiting Allocations	Viocations	
(ng/l unless noted)	Conc.	Acute	Chronic	Chronic HH (PWS)	Ŧ	Acute	Chronic HH (PWS)	(PWS)	Ŧ	Acute (Chronic HH	HH (PWS) HH		Acute Chronic	ic HH (PWS)	Ŧ	Acute	Chronic HI	HH (PWS)	₹
Ethylbenzene	0	t	ı	28	2.1E+03	,	ţ	na 2	2.1E+03	1	ı	1		1	ı	ı	:	:	na 2	2.1E+03
Fluoranthene	0	t	1	22	1.4E+02	ı	1	na L	1.4E+02		t	i f		1	1		;	i	en T	1.4E+02
Fluorene	0	1	:	80	5.3E+03	:	:	na 5	5.3E+03	1	ı	;		1	•	ı	:	ı	an 0	6.3E+03
Foaming Agents	0	1	:	ec	;	ı	ı	B	;	1		1		1	ı	ı	:	ı	20	·
Guthion	0	1	1.0E-02	BU	;	ı	1.0E-02	B	;	ı	ı	1		‡ 1	ı	ı	:	1.0E-02	na na	1
Heptachlor ^c	0	5.2E-01	3.8E-03	2	7.9E-04	5.2E-01	3.8E-03	na 7	7.9E-04	ı	ı	t		1	1	1	5.2E-01	3.8E-03	T	7.9E-04
Heptachlor Epoxide ^c	0	5.2E-01	3.8E-03	ē	3.9E-04	5.2E-01	3.8E-03		3.9E-04		t	1		2	I	i	5.2E-01	3.8E-03	2	3.9E-04
Hexachlorobenzene ^C	0	1	;	E.			:		2.9E-03	1	:	!		1	ı	ı	;	:	2	2.9E-03
Hexachlorobutadiene ^C	o	,	:	ē	1.8E+02	1	į		1.8E+02	ı	1			1	ı	1	;	ı	a L	1.8E+02
Hexachlorocyclohexane Aloha-BHC ^c	c		ł	a C	7 BE	ı	1	8	4 OF 03		,	;		:	ı	1	;	;	2	4 95.07
Heyachlorocyclobexana	•		ı	<u> </u>	#	ı	ı		4.9E-02	I	,	! !		1	l	l	:	,		
Beta-BHC ^c	0	ı	ı	ec	1.7E-01	ı	ţ	en T	1.7E-01	í	ŧ	1		1	ı	ı	;	:	2	1.7E-01
Hexachlorocyclohexane Gamma-BHC ^c (Lindane)	٥	9.5E-01	gu Bu	E C	1.8E+00	9.5E-01	ı	e +	1.8E+00	ı	1	!		:	ı	ı	9.5E-01	:	Da .	1.8E+00
Hexachlorocyclopentadiene	0	ı	ı	g	1.16+03	ı	ı		1.1E+03	ı	ı	!		1	1	;	;	ı	na 1	1.1E+03
Hexachloroethane ^c	0	ı	ı	5	3.36+01	:			3.3E+01	ı	;	1		1	1	1	;	1	na 3	3.3E+01
Hydrogen Sulfide	0	ş	2.0E+00	ē		•	2.0E+00	2	1	;	:	ı		I t	1	1	·	2.0E+00	23	:
Indeno (1,2,3-cd) pyrene ^c	0	1	ı	ē	1.8E-01	ı	1	na 1	1.8E-01	ı	ı	1		1	:	:	:	1	2	1.8E-01
Iron	0	١	٠	<u>6</u>	ı	ı	ı	8 0	1	ı	,	;		1	1	:	ı	:	e	:
Isophorane ^c	0	;	ı	8	9.6E+03	1	1	en 9	9.6E+03	1	,	1		1	;	;	:	:	ne 9	9.6E+03
Kepone	0	ı	0.0E+00	e	ı	:	0.0E+00	ē		ı	:	1		1	ŀ	1	i	0.0E+00	EU.	:
Lead	0	4.9E+01	5.6E+00	ē	ı	4.9E+01	5.6E+00	ē	ì	1	1	•		:	ŧ	1		5.6E+00	P.S	:
Malathion	o	1	1.05-01	ē	1	ı	1.0E-01	5	ı	ſ	;	!		1	:	ı	ı	1.05-01	2	;
Мапдапеse	0	:	ı	8	ı	ı	,	œ.	1		;	1		1	1	1	ı	:	13. 8.	,
Mercury	0	1.4E+00	7.7E-01	:	;	1.4E+00	7.7E-01	:	;	t	ı			1	ı	;	8	7.7E-01	;	;
Methyl Bromide	0	:	•	<u>6</u>	1.5E+03	i	ı	en L	1.5E+03	1		:		:	t	ı	;	:	2	1.5E+03
Methylene Chloride ^c	0	:	•	ם	5.9E+03	ı	ı	na S	5.9E+03	1.	1	1		:	t	ı	ţ	:	na 5	5.9E+03
Methoxychlor	0	;	3.0€-02	B	1	ı	3.0E-02	œ.	1	;	,	;		1	:	ı		3.0E-02	2	;
Mirex	0	ı	0.08+00	вс	1	,	0.0E+00	na	ı	ŀ	ı			1	1	1		0.0E+00	e c	,
Nickel	0	1.0E+02	1.1E+01	E.C.	4.6E+03	1.0E+02	1.1E+01	na 4	4.6E+03	ı	;	;		1	,	1	1.0€+02	1.1E+01	4	4.6E+03
Nitrate (as N)	0	1	ļ	e C	'	ŧ	ı	na	1	:	ŧ	1		ı	1	ı	J	1	EU.	:
Nitrobenzene	0	ŧ	t	å	6.9E+02	:	1	na 6	6.9E+02	1	ı	:		t	ţ	ı	,	:	na 6	6.9E+02
N-Nitrosodimethylamine ^C	0	ı	1	e.	3.0E+01		1	na	3.0E+01	:	1	1		1	1	:	ı	;	na 3	3.0E+01
N-Nitrosodiphenylamine ^C	0	t	í	B	6.0E+01	ı	1	na 6	6.0E+01	ı	ı	ı		1	ı	1	1	ı	na 6	6.0E+01
N-Nitrosodi-n-propylamine ^C	0	,	ı	ğ	5.1E+00	:	ı	na 5	5, 1E+00	:	:	:			i	ı	1	:	na 5	5.1E+00
Nonylphenal	0	2.8E+01	6.6E+00	:	1	2.8E+01 (6.6E+00	ec	ı	ı	1	1		:	:	ı	2.8E+01	6,6E+00	па	1
Parathion	0	6.5E-02	1.3E-02	8 2	i	6.5E-02	1.3E-02	B	ı	ı	t	1		1	1	ı	6.6E-02	1.3E-02	B E	
PCB Total ^C	0	1	1.4E-02	BE	6.4E-04	ı	1.4E-02	an G	6.4E-04	ı	ı	;		1	;	ı		1.4E-02	Па	6.4E-04
Pentachlorophenol ^c	0	1.3E+01	1.0E+01	Ba	3.0E+01	1.3E+01	1.0E+01	na 3	3.0E+01	ı	ı	;		:	;	1	1.3E+01	1.0E+01	na 3	3.0E+01
Phenol	o	ı	ı	æ	8.6E+05	;	ı	na 8	8.6E+05	ı	;	!		į	1	,	1	:	na 8	8,6€+05
Pyrene	0	ı	;	2	4.0E+03	4	;	na 4	4.0E+03	ı	ı	1		1	ı	ı	1	:	na 4	4.0E+03
Radionuclides	0	,	1	5	1	1	;	na	1	ı	·	:		1	ı	4	t	:	E .	;
Gross Alpha Activity	c			Š				;												
Beta and Photon Activity	5	:	:	2	ı	ı	:	g L	;	ı	ı	! !		1	ı	ı	ı		2	t
(mrem/yr)	0	ı	:	異	4.0E+00	ı		na 4	4.0E+00	;		:		:	;	:	•	;	na 4	4.0E+00
Radium 226 + 228 (pCVL)	0	ı	:	8	:	ı	;	er.	1	:	1	1		1	ı	ı	ı	ŧ	eu.	ţ
Uranium (ug/l)	٥	•	;	E .	-	1		ec.		1	1		\dashv	1	'		•		na	:

Parameter	Background		Water Quality Criteria	ity Criteria			Wasteload Allocations	\locations		⋖	Antidegradation Baseline	on Baseline		Anti	Antidegradation Allocations	Allocations		2	lost Limiting	Most Limiting Allocations	
(ng/j unless nated)	Conc.	Acute	Chronic	Chronic HH (PWS)	Ŧ	Acute	Chronic HH (PWS)	(PWS)	王	Acute	Chronic	HH (PWS)	Ŧ	Acute	Chronic F	HH (PWS)	Ŧ	Acute	Chronic	HH (PWS)	Ŧ
Selenium, Total Recoverable	0	2.0E+01	5.0E+00	na	4.2E+03	2.0E+01	5.0E+00	na	4.2E+03	1	ı	1	1	1	1	1	ı	2.0E+01	5.0E+00	BU	4.2E+03
Silver	0	1.0E+00	;	80	;	1.0E+00	ŧ	na		ı	ı	Ι.	ţ	1	1	ł	ĺ	1.0E+00	;	ē	
Sulfate	0	;	:	na	;	;	ı	9	;	ı	1	1	;	ı	1	1	1		:	2	
1,1,2,2-Tetrachloroethane ^c	0	1	;	80	4.0E+01	;	ı	вг	4.0E+01	ı	ı	1	i	1	:	ı	ı	,	ŀ	Ē	4.0E+01
Tetrachloroethylene ^c	0	ı	;	æ	3.3E+01	ı	ı	na na	3.3E+01	ı	ı	ı	ı	ı	ı	1	1	ı	ı	2	3.3E+01
Thallium	0	1	1	80	4.7E-01	1	;	na	4.7E-01	ŧ	;	,	ı	ı	ı	1	ı	1	:	ē	4.7E-01
Toluene	0	í	ı	e u	6.0E+03	:	1	na Na	6.0E+03	ı	į	ŀ	ì	ı	ŀ	1	ı	1	:	2	6.0E+03
Total dissolved solids	0	ı	;	9	;	ì	ı	eu	ı	ı	;	t	1	t	1	1	ı	1	ı	E .	ı
Toxaphene ^c	0	7.3E-01	2.0E-04	na	2.8E-03	7.3E-01	2.0E-04	na	2.8E-03	:	ı	;		ı	ŧ	1	ı	7.3E-01	2.0E-04	a.	2.8E-03
Tributyllin	0	4.6E-01	7.2E-02	E	ı	4.6E-01	7.2E-02	na	;	ı	1	1	1	ı	:	;	1	4.6E-01	7.2E-02	2	ı
1,2,4-Trichlorobenzene	0	1	ţ	B	7.0E+01	ı	1	E L	7.0E+01	ı	ı	ı	1	ı	ı	ı	;	;	:	na	7.0E+01
1,1,2-Trichlorgethane ^c	0	1	ŧ	па	1.6E+02	1	ı	E	1.6E+02	ı	i	t	ı	1	ı	ı	ł	1	:	E	1.6E+02
Trichloraethylene ^c	0	1	ŧ	Па	3.0E+02	ŧ	ı	БП	3.0E+02	ı	ı	ı	ı	1	1	ı	ı	1	ı	E	3.0E+02
2,4,6-Trichlaraphenal ^c	0	;	ŀ	B	2.4E+01	ŀ	ı	ē	2.4E+01	;	ı	:	1	ı	ŧ	ı	ı	,	:	29	2.4E+01
2-(2,4,5-Trichloraphenaxy) propionic acid (Silvex)	0	l	1	ē	1	1	1	ē	i	ı	;	ł	1	1	ł	ı	1		:	2	ı
Vinyl Chloride ^C	0	ı	t	밀	2.4E+01	:	:	na	2.4E+01	1	1	1	ı	ı	;	ı	1	·	ŧ	ē	2.4E+01
Zinc	0	6.5E+01	6.6E+01	e E	2.6E+04	5.5E+01	6.6E+01	па	2.6E+04	ı	ı	ı	t	1	1	ı	ı	6.5E+01	6.6E+01.	Ē	2.6E+04

- All concentrations expressed as micrograms/liter (ug/l), unless noted otherwise
- 2. Discharge flow is highest monthly average or Form 2C maximum for Industries and design flow for Municipals
- Metals measured as Dissolved, unless specified otherwise
- 4. "C" indicates a carcinogenic parameter
- Regular WLAs are mass balances (minus background concentration) using the % of stream flow entered above under Mixing Information.
 Antidegradation WLAs are based upon a complete mix.
 - 6. Antideg. Baseline = (0.25(WQC background conc.) + background conc.) for acute and chronic
- = (0.1(WQC background conc.) + background conc.) for human health
- Harmonic Mean for Carcinogens. To apply mixing ratios from a model set the stream flow equal to (mixing ratio 1), effluent flow equal to 1 and 100% mix. 7. WLAs established at the following stream flows: 1Q10 for Acute, 30Q10 for Chronic Ammonia, 7Q10 for Other Chronic, 30Q5 for Non-carcinogens and

Metal	Target Value (SSTV)	Note: do not use QL's lower than the
Antimony	6.4E+02	minimum QL's provided in agency
Arsenic	9.0E+01	guldance
Barinm	па	
Cadmium	3.9E-01	
Chromium III	2.5E+01	
Chromium VI	6.4E+00	
Copper	2.8E+00	
lron	na	
Lead	3.4E+00	
Manganese	na	
Mercury	4.6E-01	
Nickel	6.8E+00	
Selenium	3.0E+00	
Silver	4.2E-01	
Zinc	2.6E+01	

DMR QA/QC

Permit #:VA0089796

Facility: The Nature Conservancy

Rec'd	Parameter Description	QTY	Lim Avg	QTY MAX	Lim Max	Quantity Unit Lim	CONC	Lim Min	CONC	Lim Avg	CONC	Lim Max
10-Jul-2008 10-Jul-08	1,1,1-TRICHLOROETHANE	NOLL	*****	NULL	****	NULL	NULL	******	NOLL	****	10°	112
	1,1,1-TRICHLOROETHANE	NOLL	****	NULL	*****	NULL	NULL	******	NULL	*******	≺QL	112
15-May-2009	1,1,1-TRICHLOROETHANE	NULL	*****	NOLL	****	NULL	NULL	***	NULL	****	<1	112
05-Oct-2009	1,1,1-TRICHLOROETHANE	NOLL	*****	NULL		אחרר	NALL	****	NOLL	******	<1	112
24-Feb-2010	1,1,1-TRICHLOROETHANE	NULL	******	NULL	****	NULL	NULL	****	NULL	******	<1	112
20-Oct-2010	1,1,1-TRICHLOROETHANE	NOLL	****	NULL		NULL	NULL	*****	NOLL	*****	<1	112
27-May-2011	1,1,1-TRICHLOROETHANE	NULL	*****	NULL		NULL	אחרר	****	NOLL	******	70>	112
29-Dec-2011	1,1,1-TRICHLOROETHANE	NULL	****	NULL	***	NULL	NULL	****	NULL	***	70>	112
13-Jun-2012 Hay 12-	1,1,1-TRICHLOROETHANE	NULL	****	NULL	****	NULL	NULL	*******	NOLL	******	<ql< td=""><td>112</td></ql<>	112
_	1,1-DICHLOROETHYLENE	NULL	****	NULL	****	NULL	NOLL	*****	NOLL	*******	7 0 >	7
19-Dec-2008	1,1-DICHLOROETHYLENE	NOLL	*****	NULL	****	NULL	NOLL	*******	NOLL	*******	¬o≻	7
15-May-2009	1,1-DICHLOROETHYLENE	NULL	******	NOLL		NOLL	NOLL	*****	NALL	*******	L>	7
05-Oct-2009	1,1-DICHLOROETHYLENE	NOLL	****	NULL	*****	NULL	NOLL	*****	NALL	*******	L>	7
24-Feb-2010	1,1-DICHLOROETHYLENE	NULL	******	NULL	*******	NULL	NULL	*******	אחרר	******	<1	7
20-Oct-2010	1,1-DICHLOROETHYLENE	NOLL	******	NULL	*********	NULL	TION	****	NALL	******	<1	7
27-May-2011	1,1-DICHLOROETHYLENE	NULL	*****	NULL	******	NULL	TION	****	NOLL	******	-all	7
29-Dec-2011	1,1-DICHLOROETHYLENE	NULL	*******	NULL	NOLL	NULL	NOLL	****	NULL	*******	70≻	7
13-Jun-2012	1,1-DICHLOROETHYLENE	NULL	***	NULL	TON *******	NULL	NULL	*****	NOLL	******	≺QL	7
10-Jul-2008	1,2-DICHLOROBENZENE	NOLL	*****	NULL		MULL	TION	****	אחרר	******	≺QL	15
19-Dec-2008	1,2-DICHLOROBENZENE	NULL	******	NULL	KEKKKKE	NULL	TION	*******	ไากณ	*******	<a∟< td=""><td>15</td></a∟<>	15
15-May-2009	1,2-DICHLOROBENZENE	NULL	****	NULL	*******	NULL	NOLL	*******	NULL	******	<1	15
05-Oct-2009	1,2-DICHLOROBENZENE	NULL	****	NULL	******	NOLL	TION	****	NNFF	*****	<1	15
24-Feb-2010	1,2-DICHLOROBENZENE	NOLL	*****	NULL	770N *******	NULL	NOLL	*****	NOLL	******	-<1	15
20-Oct-2010	1,2-DICHLOROBENZENE	NOLL	****	NULL	*********	NULL	NOLL	****	NOLL	********	\^	15
27-May-2011	1,2-DICHLOROBENZENE	NOLL	****	NOLL	170N *******	NULL	TION	*****	NOLL	******	<ql< td=""><td>15</td></ql<>	15
29-Dec-2011	1,2-DICHLOROBENZENE	NULL	****	NOLL		NULL	NOLL	******	NULL	******	<ql< td=""><td>15</td></ql<>	15
13-Jun-2012	1,2-DICHLOROBENZENE	NULL	*****	NOLL		NULL	NULL	****	TON	*****	.αL	15
10-Jul-2008	1,2-DICHLOROETHANE	NULL	******	NOLL		NULL	NOLL	****	NUEL	*******	<ql< td=""><td>5</td></ql<>	5
19-Dec-2008	1,2-DICHLOROETHANE	NULL	******	NOLL	*****	NULL	NOLL	*****	NOLL	*******	<ql< td=""><td>5</td></ql<>	5
15-May-2009	1,2-DICHLOROETHANE	NULL	****	TIGN	****	NULL	TION	*****	NOLL	******	<1	5
05-Oct-2009	1,2-DICHLOROETHANE	NULL	******	NOLL	*****	NULL	NOLL	****	NOLL	*****	<1	5
24-Feb-2010	1,2-DICHLOROETHANE	NOFF	******	NULL	****	NOLL	NULL	*******	NOLL	*******	<1	5
20-Oct-2010	1,2-DICHLOROETHANE	NULL	****	NOLL		NOLL	NULL	***	NOLL	****	<1	5
27-May-2011	1,2-DICHLOROETHANE	NULL	*****	NOLL		NULL	NOLL	*****	אחרד	*******	<ql< td=""><td>5</td></ql<>	5
29-Dec-2011	1,2-DICHLOROETHANE	NOLL	*****	TION		NNCC	NOLL	****	NOLL	******	<ql< td=""><td>5</td></ql<>	5
13-Jun-2012	1,2-DICHLOROETHANE	NOLL	******	NULL		NNTF	NULL	****	NNLL	*****	<ql< td=""><td>5</td></ql<>	5
10-לוט-10-	BENZENE (AS C6H6)	NULL	****	NULL	*****	NULL	NULL	*****	NULL	******	<ql< td=""><td>5</td></ql<>	5
						:						

							-			******		,
19-Dec-2008	BENZENE (AS C6H6)	NULL	****	NULL		NULL	NULL		NOLL		, Car	0
15-May-2009	BENZENE (AS C6H6)	NULL	*****	NULL	****	NULL	NULL	****	NOLL	***	₹	5
05-Oct-2009	BENZENE (AS C6H6)	NULL	****	NULL	*****	NULL	NULL	****	NOLL	****	₹	2
24-Feb-2010	BENZENE (AS C6H6)	NULL	****	NULL	*****	NULL	NULL	*******	NULL	****	<1	9
20-Oct-2010	BENZENE (AS C6H6)	NULL	*******	NULL	****	NULL	NULL	*******	NULL	******		'n
27-May-2011	BENZENE (AS C6H6)	NULL	******	NULL	*******	NOLL	NULL	*******	NULL	******	<ql< td=""><td>5</td></ql<>	5
29-Dec-2011	BENZENE (AS C6H6)	NULL	******	NULL	*****	NULL	NOLL	******	NOLL	****	ςαL	5
13-Jun-2012	BENZENE (AS C6H6)	NULL	****	NOLL	****	NULL	NOLL	*******	NULL	******	70>	5
10-Jul-2008	CARBON TETRACHLORIDE	NULL	****	NULL	化长柱水柱水柱 水	NULL	NULL	*******	NULL	*****	<ql< td=""><td>2</td></ql<>	2
19-Dec-2008	CARBON TETRACHLORIDE	NULL	*******	NULL	*****	NULL	NULL	******	NOLL	*****	-\Q\	2
15-May-2009	CARBON TETRACHLORIDE	NOLL	*******	NULL	****	NOLL	NOLL	******	NOLL	****	₹	2
05-Oct-2009	CARBON TETRACHLORIDE	NULL	******	NOLL	****	NUCL	NOLL	*******	NULL	****	<٦	2
24-Feb-2010	CARBON TETRACHLORIDE	NOLL	******	NULL	****	NULL	NOLL	*****	NULL	*****	۲	2
20-Oct-2010	CARBON TETRACHLORIDE	NULL	***	NOLL	****	NOTE	NULL	*****	NULL	*****	٧	2
27-May-2011	CARBON TETRACHLORIDE	NULL	*****	NULL	****	NULL	NULL	*******	NOLL	*****	≺a∟	2
29-Dec-2011	CARBON TETRACHLORIDE	NULL	****	NULL	*****	NOLL	NULL	******	NULL	*******	≺QL	2
13-Jun-2012	CARBON TETRACHLORIDE	NULL	*******	NOLL	*****	NULL	NULL	*******	NULL	*******	<ql< td=""><td>2</td></ql<>	2
10-Jut-2008	CHLOROFORM (AS CHCL3)	NOLL	****	NOLL	*****	NULL	NULL	*****	NULL	*****	≺QL	100
19-Dec-2008	CHLOROFORM (AS CHCL3)	NOLL	****	NOLL	****	NULL	NULL	*******	NULL	********	70>	100
15-May-2009	CHLOROFORM (AS CHCL3)	NULL	******	NOLL	*****	NULL	NULL	****	NULL	****	<1	100
05-Oct-2009	CHLOROFORM (AS CHCL3)	NULL	****	NOLL	*****	NOLL	NULL	*****	NULL	***	۲۷	100
24-Feb-2010	CHLOROFORM (AS CHCL3)	NULL	*******	NULL	*****	NULL	NOLL	******	NULL	****	₹	100
20-Oct-2010	CHLOROFORM (AS CHCL3)	NULE	*****	NULL	****	NULL	NOLL	*****	NULL	*****	<1	100
27-May-2011	CHLOROFORM (AS CHCL3)	NULL	****	NULL	****	NOLL	NULL	*****	NULL	***	άρ	100
29-Dec-2011	CHLOROFORM (AS CHCL3)	NOLL	****	NOLL	****	NOLL	NULL	*****	NULE	****	å	100
13-Jun-2012	CHLOROFORM (AS CHCL3)	NULL	*****	NOLE	*****	חחרר	NULL	****	NULL	*******	^a <u>p</u>	100
10-Jul-2008	CIS-1,2-DICHLOROETHYLENE	NULL	*****	NULL	****	אמרר	NULL	******	NULL	****	å	70
19-Dec-2008	CIS-1,2-DICHLOROETHYLENE	NULL	****	NULL	***	NOLL	NULL	*****	NULL	*****	<q_l< td=""><td>20</td></q_l<>	20
15-May-2009	CIS-1,2-DICHLOROETHYLENE	NULL	******	NULL	****	NOLL	NULL	******	NOLL	***	1.0	20
05-Oct-2009	CIS-1,2-DICHLOROETHYLENE	NULL	*****	NOLL	****	NOLL	NULL	*****	NOLL	*****	2.2	20
24-Feb-2010	CIS-1,2-DICHLOROETHYLENE	NOLL	****	NOLL	******	NOLL	NULL	***	NULL	*****	3.0	20
20-Oct-2010	CIS-1,2-DICHLOROETHYLENE	NULL	*******	NOLL	*******	NULL	NULL	*****	NOLL	******	1.1	70
27-May-2011	CIS-1,2-DICHLOROETHYLENE	NULL	*******	NULL	*****	NULL	NOLL	*******	NOLL	***	¢0L	70
29-Dec-2011	CIS-1,2-DICHLOROETHYLENE	NULL	******	NULL	*****	NULL	NOLL.	****	NULL	*****	°0₽	20
13-Jun-2012	CIS-1,2-DICHLOROETHYLENE	NALL	******	NULL	***	NULL	NOLL	******	NULL	****	°0∟	20
10-Jul-2008	DICHLOROMETHANE	NULL	*******	NULL	*****	NULL	NULL	*****	NULL	****	å	2
19-Dec-2008	DICHLOROMETHANE	NOLL	*******	NULL	*****	NALL	NULL	****	NULL	******	^QL	5
15-May-2009	DICHLOROMETHANE	NULL	****	NULL	******	NOLL	NULL	******	NULL	****	<1	છ
05-Oct-2009	DICHLOROMETHANE	NULL	· · · · · · · · · · · · · · · · · · ·	NOLL	****	NULL	NULL	*****	NULL	******	7	5
24-Feb-2010	DICHLOROMETHANE	NULL	*****	NOLL	******	NULL	NULL	****	NULL	*****	. <4	5
20-Oct-2010	DICHLOROMETHANE	NULL	*****	NOLL	******	NOLL	NULL	****	NULL	*******	۲	5
27-May-2011	DICHLOROMETHANE	NOLL	*****	NOLL	****	NULL	NULL	****	NULL	*****	å	2
29-Dec-2011	DICHLOROMETHANE	NULL	*****	NULL	****	NULL	NULL	*******	NULL	****	_do/	5
					! !							

13-Jun-2012	DICHLOROMETHANE	NULL	******	NULL	TION *******	NOLL	NOLL	*******	NOLL	****	<ql< th=""><th>5</th></ql<>	5
10-Jul-2008	ETHYLBENZENE	NULL	***	NOLL	****	NULL	NOLL	*******	NALL	*******	<ql< td=""><td>320</td></ql<>	320
19-Dec-2008	ETHYLBENZENE	NULL	***	NOLL	****	NULL	NOLL	*******	NOLL	******	≺QL	320
15-May-2009	ETHYLBENZENE	NULL	*******	NULL	******	NULL	NULL	*****	NOLL	****	<1	320
05-Oct-2009	ETHYLBENZENE	NULL	*******	NULL	***	NOLL	NULL	*****	NULL	*******	1 >	320
24-Feb-2010	ETHYLBENZENE	NOL	*****	NULL	***	NULL	NULL	***	NOLL	******	1 >	320
20-Oct-2010	ETHYLBENZENE	NULL	****	NULL	****	NOLL	NULL	*****	NULL	******	1>	320
27-May-2011	ETHYLBENZENE	NULL	*******	NULL	***	NULL	NULL	******	NOLL	*****	γo,	320
29-Dec-2011	ETHYLBENZENE	NOLL	*******	NOLL	****	NOLL	NULL	****	NULL	******	å	320
13-Jun-2012	ETHYLBENZENE	NULL	******	NOLL	******	NULL	NOLL	*****	NULL	*****	ςΩL	320
10-Jul-2008	FLOW	.000388	0.0144	0.001582	NF	MGD	NOLL	****	NULL	********	NULL	*****
19-Dec-2008	FLOW	.001325	0.0144	0.001349	NF.	MGD	NALL	*******	NOLL	******	NULL	****
15-May-2009	FLOW	.001381	0.0144	0.001399	NF	MGD	NULL	****	NOLL	*******	NULL	******
05-Oct-2009	FLOW	.001413	0.0144	0.001439	NF	MGD	NULL	*******	NOLL	*******	NULL	****
24-Feb-2010	FLOW	1000001	0.0144	0.000001	NE	MGD	NULL	****	NOLL	*****	NULL	****
20-Oct-2010	FLOW	000000	0.0144	0.00000	NF	MGD	NOLL	*******	NOLL	******	NULL	*****
27-May-2011	FLOW	.003589	0.0144	0.014228	NF	MGD	NOLL	******	NOLL	****	NOLL	****
29-Dec-2011	FLOW	.000436	0.0144	62000.	NF	MGD	NOLL	****	NULL	****	NULL	*****
13-Jun-2012	FLOW	1.000517	0.0144	0.000802	7N	MGD	NULL	****	NOLL	*******	NULL	*******
10-Jul-2008	ORGANICS, TOTAL VOLATILE	NOLL	*******	NULL	******	NULL	NOLL	****	NULL	*****	1.0	763
19-Dec-2008	ORGANICS, TOTAL VOLATILE	NOLL	***	NOLL	*****	NULL	NOLL	*****	NOLL	*******	5.5	292
15-May-2009	ORGANICS, TOTAL VOLATILE	NOLL	*****	NULL	***	NULL	NOLL	******	NOLL	*******	2.2	763
05-Oct-2009	ORGANICS, TOTAL VOLATILE	NOLL	*******	NULL	*******	NULL	NULL	****	NULL	*****	2.2	292
24-Feb-2010	ORGANICS, TOTAL VOLATILE	NOLL	******	NULL	****	NULL	NOLL	******	NULL	*****	8.1	292
20-Oct-2010	ORGANICS, TOTAL VOLATILE	NULL	****	NULL	******	NULL	NULL	*****	NULL		9.5	763
27-May-2011	ORGANICS, TOTAL VOLATILE	NULL	******	NOLL	******	-	NOLL	****	NULL		2.2	763
29-Dec-2011	ORGANICS, TOTAL VOLATILE	NULL	大大· · · · · · · · · · · · · · · · · · ·	NULL	***		NULL	****	NULL	******	70≻	292
13-Jun-2012	ORGANICS, TOTAL VOLATILE	NULL	****	NULL	****	NULL	NOLL	*******	NOLL	*****	-αr	763
10-Jul-2008	Hd	NULL	*****	NULL		NULL	6.7	6.0	NULL		7.9	9.0
19-Dec-2008	Hd	NULL	****	NULL		NOLL	7.6	6.0	NULL		7.6	9.0
15-May-2009	Hd	NULL	****	NULL		NULL	7.29	6.0	NULL		7.79	0.6
05-Oct-2009	Hd	NULL	***	NULL		NULL	7.45	6.0	NOLL		8.02	9.0
24-Feb-2010	Hd	NULL	******	NULL		NULL	7.46	0.9			7.83	0.6
20-Oct-2010	Hd	NOLL	****	NOLL	******		8.07	6.0			8.32	0.6
27-May-2011	Ha	NOLL	***	NOLL		NULL	7.90	6.0			8.09	0.6
29-Dec-2011	HA	NOLL	****	NULL		NULL	7.87	6.0		_	8.14	9.0
13-Jun-2012	Td.	NULL	****	NOLL	***	NOLL	6.78	0.9	NULL		7.70	9.0
10~Jul-2008	TETRACHLOROETHYLENE	NULL	*******	NULL	·	NOLL	NOLL	*******	NULL		1.0	2
19-Dec-2008	TETRACHLOROETHYLENE	NULL	*******	NALL		NULL	NOLL	****	NULL		(5.5	5 , 5
15-May-2009	TETRACHLOROETHYLENE	NULL	******	NULL	****		NULL	****	NOLL		1.2	5
05-Oct-2009	TETRACHLOROETHYLENE	NULL	*******	NULL		NOLL	NOFF	*******	NULL		t><4	2
24-Feb-2010	TETRACHLOROETHYLENE	NOLL	*****	NULL		NULL	NOLL	******			(2.t	5
20-Oct-2010	TETRACHLOROETHYLENE	NOLL	*******	NULL	******	NULL	NULL	*******	NULL	******	(8.4	2
)	\

07 May 2011	TETOACU! ODOETUV! ENE	11111	*****	N	*****			******		******	2.7	3
29-Dec-2011	TETRACHLOROETHYLENE	I I	*******	NOLL	*******	NULL	NOLL	*******	NULL	*****	1.0	5
13-Jun-2012	TETRACHLOROETHYLENE	NOL	*****	NOLL	*******	NULL	NULL	****	NOEL	******	å	5
10-Jul-2008	TOLUENE (AS C7H8)	NOLL	*******	NULL	****	NULL	NULL	****	NULL	*******	10°	5
19-Dec-2008	TOLUENE (AS C7H8)	NOLL	****	NULL	*****	NULL	NULL	*******	NOLL	*******	¢0∟	5
15-May-2009	TOLUENE (AS C7H8)	NULL	*****	NULL	*******	NULL	NULL	*******	NULL	*************************************	₹	S.
05-Oct-2009	TOLUENE (AS C7H8)	NOLL	***	NULL	*******	NOLL	NULL	*****	NULL	***	₹	5
24-Feb-2010	TOLUENE (AS C7H8)	NULL	*******	NOLL	*****	NULL	NULL	****	NULL	在在本本本本本本本	₹	5
20-Oct-2010	TOLUENE (AS C7H8)	NULL	****	NULL	****	NULL	NULL	*****	NULL	****	₽	3
27-May-2011	TOLUENE (AS C7H8)	NOLL	******	NULL	*******	NULL	NOLL	****	NULL	*****	-âP	5
29-Dec-2011	TOLUENE (AS C7H8)	NUEL	*******	NULL	******	NULL	NULL	*****	NULL	******	9	5
13-Jun-2012	TOLUENE (AS C7H8)	NULL	*******	NULL	*****	NULL	NULL	****	NULL	******	401	5
10-Jul-2008	TRANS-1,2-DICHLOROETHYLENE	NOFF	******	NULL	****	NULL	NULL	*****	NULL	****	¢ôL	100
19-Dec-2008	TRANS-1,2-DICHLOROETHYLENE	NULL	*******	NULL	*******	NULL	NOLL	****	NULL	******	ਰੂ	100
15-May-2009	TRANS-1,2-DICHLOROETHYLENE	NULL	***	NULL	*******	NULL	NULL	****	NULL	****	₹	100
05-Oct-2009	TRANS-1,2-DICHLOROETHYLENE	NULL	*******	NULL	****	NULL	NULL	****	NULL	****	<1	100
24-Feb-2010	TRANS-1,2-DICHLOROETHYLENE	NULL	*****	NULL	*****	NUEL	NULL	*******	NOLL	****	₹	100
20-Oct-2010	TRANS-1,2-DICHLOROETHYLENE	NOLL	*******	NULL	****	NULL	NULL	*******	NULL	****	⊽	100
27-May-2011	TRANS-1,2-DICHLOROETHYLENE	NULL	****	NOLL	****	NULL	NULL	******	NOLL	*****	<ql< td=""><td>100</td></ql<>	100
29-Dec-2011	TRANS-1,2-DICHLOROETHYLENE	NOLL	*****	NOLL	*****	NULL	NULL	*******	NULL	******	<ql< td=""><td>100</td></ql<>	100
13-Jun-2012	TRANS-1,2-DICHLOROETHYLENE	NULL	***	NULL	******	NULL	NULL	******	NOLL	******	å	100
10-Jul-2008	TRICHLOROETHYLENE (TCE) (79016)	NULL	******	NOLL	*****	NOFF	NOLL	*****	NOLL	****	^o∟	5
19-Dec-2008	TRICHLOROETHYLENE (TCE) (79016)	NOLL	****	NULL	*****	NULL	NULL	*******	NULL	*****	≺QL	5
15-May-2009	TRICHLOROETHYLENE (TCE) (79016)	NULL	*******	NOLL	*****	_	NOLL	*****	NULL	*****	<1	5
05-Oct-2009	TRICHLOROETHYLENE (TCE) (79016)	L_	*******	NOLL	***	NULL	NULL	****	NOLL	***	⊽	5
24-Feb-2010	TRICHLOROETHYLENE (TCE) (79016)	NULL	****	NULL	*******		NULL	*****	NOLL	***	₹	5
20-Oct-2010	TRICHLOROETHYLENE (TCE) (79016)	NULL	*******	NOLL	*****	NULL	NOLL	****	NULL	*****	₽	5
27-May-2011	TRICHLOROETHYLENE (TCE) (79016)	NOLL	******	NULL	*****	NULL	NULL	*****	NOLL	*****	ਰ੍ਹ	5
29-Dec-2011	TRICHLOROETHYLENE (TCE) (79016)	NULL	*******	NULL	******	NULL	NULL	****	NOLL	****	횽	5
13-Jun-2012	TRICHLOROETHYLENE (TCE) (79016)	NOLL	****	NOFE	****	NULL	NOLL	*****	NULL	*****	γÖL	5
10-Jul-2008	VINYL CHLORIDE	NULL	***	NOLL	****	NULL	NULL	****	NOLL	有你就你你你你不	^QL	2
19-Dec-2008	VINYL CHLORIDE	NULL	****	NULL	*****	NULL	NULL	****	NOLL	*****	≺QL	2
15-May-2009	VINYL CHLORIDE	NULL	*****	NOLL	*****	NULL	NOLL	******	NOFF	*****	~	2
05-Oct-2009	VINYL CHLORIDE	NOLL	*****	NULL	******	NOLL	NULL	****	NULL	*******	₹	2
24-Feb-2010	VINYL CHLORIDE	NOLL	*****	NOLL	*******	NOLL	NOLL	****	NULL	****	<1	2
20-Oct-2010	VINYL CHLORIDE	NOLL	****	NOLL	****	NULL	NOLL	*****	NOLL	******		2
27-May-2011	VINYL CHLORIDE	NULL	****	NOLL	*****	NULL	NOLL	******	NULL	******	<0F	2
29-Dec-2011	VINYL CHLORIDE	NULL	*****	NULL	****	NOLL	NULL	******	TINN	*******	70>	2
13-Jun-2012	VINYL CHLORIDE	NULL	****	NOLL	*****	NULL	NULL	******	NOLL	*****	√OL	2
10-Jul-2008	XYLENE (AS C8H10)	NULL	****	NOLL	******	NULL	NULL	*******	NULL	*******	å	Ω.
19-Dec-2008	XYLENE (AS C8H10)	NOLL	***	NOLL	****	NULL	NULL	*****	NOLL	*******	ςΩL	5
15-May-2009	XYLENE (AS C8H10)	NULL	****	NULL	*****	NULL	NOLL	*****	NULL	*******	۲	5
	XVI ENE (AS CRH10)		*******	Z	*******	IIII	Ž	*******	TION	*******	12	5

24-Feb-2010	XYLENE (AS C8H10)	NULL	*******	NOLL	TTON *******		NOLL NOLL	*****	NOLL	******	₹	5
20-Oct-2010	XYLENE (AS C8H10)	NULL	*******	NULL	710N *******		NOLL	****	NULL	*****	₹	5
27-May-2011	XYLENE (AS C8H10)	NULL	*****	NULL	N ********	NOLL		****	NOLL	*******	<ql< td=""><td>5</td></ql<>	5
29-Dec-2011	XYLENE (AS C8H10)	NULL	******	NULL	NOCT		NULL.	*****	NULL	****	<ql< td=""><td>5</td></ql<>	5
13-Jun-2012	XYLENE (AS C8H10)	NULL	*******	NULL	110N *******		NULL	***	NULL	*****	√QL	5

Public Notice - Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality that will allow the release of treated wastewater into a water body in Arlington County, Virginia.

PUBLIC COMMENT PERIOD: December 13, 2012 to 5:00 p.m. on January 14, 2013

PERMIT NAME: Virginia Pollutant Discharge Elimination System Permit – Wastewater issued by DEQ, under the authority of the State Water Control Board

APPLICANT NAME, ADDRESS AND PERMIT NUMBER:

The Nature Conservancy

21335 Signal Hill Plaza, Suite 100, Sterling, VA 20164

VA0089796

NAME AND ADDRESS OF FACILITY:

The Nature Conservancy

4245 North Fairfax Drive, Arlington, VA 22203

PROJECT DESCRIPTION: The Nature Conservancy has applied for a reissuance of a permit for the private The Nature Conservancy. The applicant proposes to release treated groundwater at a rate of 0.0144 million gallons per day into a water body. There is no sludge generated from the treatment process. The facility proposes to release the treated groundwater in the Lubber Run, UT in Arlington County in the Potomac River watershed. A watershed is the land area drained by a river and its incoming streams. The permit will limit the following pollutants to amounts that protect water quality: pH, benzene, toluene, ethylbenzene, total xylene, carbon tetrachloride, chloroform, 1,1,1-trichloroethane, 1,2-dichlorobenzene, 1,1-dichloroethylene, cis 1,2-dichloroethylene, trans 1,2-dichloroethylene, dichloroethylene, trichloroethylene (TCE), tetrachloroethylene (PCE), 1,2-dichloroethane, vinyl chloride, 1,2-dichlorobenzene and total VOCs.

HOW TO COMMENT AND/OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by email, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses and telephone numbers of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requester, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. A public hearing may be held, including another comment period, if public response is significant, based on individual requests for a public hearing, and there are substantial, disputed issues relevant to the permit.

CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION: The public may review the documents at the DEQ-Northern Regional Office by appointment, or may request electronic copies of the draft permit and fact sheet.

Name: Douglas Frasier

Address: DEQ-Northern Regional Office, 13901 Crown Court, Woodbridge, VA 22193 Phone: (703) 583-3873 Email: Douglas.Frasier@deq.virginia.gov Fax: (703) 583-3821

State "Transmittal Checklist" to Assist in Targeting Municipal and Industrial Individual NPDES Draft Permits for Review

Part I. State Draft Permit Submission Checklist

In accordance with the MOA established between the Commonwealth of Virginia and the United States Environmental Protection Agency, Region III, the Commonwealth submits the following draft National Pollutant Discharge Elimination System (NPDES) permit for Agency review and concurrence.

NPDES Permit Number: Permit Writer Name: Date: November 2012 Major [] Minor [X] Industrial [X] Mun I.A. Draft Permit Package Submittal Includes: 1. Permit Application? 2. Complete Draft Permit (for renewal or first time permit – entire permit, including boilerplate information)? 3. Copy of Public Notice? 4. Complete Fact Sheet? 5. A Priority Pollutant Screening to determine parameters of concern? 6. A Reasonable Potential analysis showing calculated WQBELs? 7. Dissolved Oxygen calculations? 8. Whole Effluent Toxicity Test summary and analysis?	Yes X X X X X X	No	N/A X X X
Date: 1 November 2012 Major [] Minor [X] Industrial [X] Mun I.A. Draft Permit Package Submittal Includes: 1. Permit Application? 2. Complete Draft Permit (for renewal or first time permit – entire permit, including boilerplate information)? 3. Copy of Public Notice? 4. Complete Fact Sheet? 5. A Priority Pollutant Screening to determine parameters of concern? 6. A Reasonable Potential analysis showing calculated WQBELs? 7. Dissolved Oxygen calculations?	Yes X X X X	No	X X X
Major [] Minor [X] Industrial [X] Mun I.A. Draft Permit Package Submittal Includes: 1. Permit Application? 2. Complete Draft Permit (for renewal or first time permit – entire permit, including boilerplate information)? 3. Copy of Public Notice? 4. Complete Fact Sheet? 5. A Priority Pollutant Screening to determine parameters of concern? 6. A Reasonable Potential analysis showing calculated WQBELs? 7. Dissolved Oxygen calculations?	Yes X X X X	No	X X X
 I.A. Draft Permit Package Submittal Includes: Permit Application? Complete Draft Permit (for renewal or first time permit – entire permit, including boilerplate information)? Copy of Public Notice? Complete Fact Sheet? A Priority Pollutant Screening to determine parameters of concern? A Reasonable Potential analysis showing calculated WQBELs? Dissolved Oxygen calculations? 	Yes X X X X	No	X X X
 Permit Application? Complete Draft Permit (for renewal or first time permit – entire permit, including boilerplate information)? Copy of Public Notice? Complete Fact Sheet? A Priority Pollutant Screening to determine parameters of concern? A Reasonable Potential analysis showing calculated WQBELs? Dissolved Oxygen calculations? 	X X X X	No	X X X
 Permit Application? Complete Draft Permit (for renewal or first time permit – entire permit, including boilerplate information)? Copy of Public Notice? Complete Fact Sheet? A Priority Pollutant Screening to determine parameters of concern? A Reasonable Potential analysis showing calculated WQBELs? Dissolved Oxygen calculations? 	X X X X	110	X X X
 Complete Draft Permit (for renewal or first time permit – entire permit, including boilerplate information)? Copy of Public Notice? Complete Fact Sheet? A Priority Pollutant Screening to determine parameters of concern? A Reasonable Potential analysis showing calculated WQBELs? Dissolved Oxygen calculations? 	X X X		X
 Copy of Public Notice? Complete Fact Sheet? A Priority Pollutant Screening to determine parameters of concern? A Reasonable Potential analysis showing calculated WQBELs? Dissolved Oxygen calculations? 	X		X
 4. Complete Fact Sheet? 5. A Priority Pollutant Screening to determine parameters of concern? 6. A Reasonable Potential analysis showing calculated WQBELs? 7. Dissolved Oxygen calculations? 	X		X X
5. A Priority Pollutant Screening to determine parameters of concern?6. A Reasonable Potential analysis showing calculated WQBELs?7. Dissolved Oxygen calculations?	X		X X
6. A Reasonable Potential analysis showing calculated WQBELs?7. Dissolved Oxygen calculations?	X		Х
7. Dissolved Oxygen calculations?	X		Х
	X		_
o. whole emplet toxicity rest summary and allalysis:	Х		X
9. Permit Rating Sheet for new or modified industrial facilities?	•		
1.B. Permit/Facility Characteristics	Yes	No	N/A
1. Is this a new, or currently unpermitted facility?		X	
2. Are all permissible outfalls (including combined sewer overflow points, non-process water and	T_{X}		
storm water) from the facility properly identified and authorized in the permit?			
3. Does the fact sheet or permit contain a description of the wastewater treatment process?	X		
4. Does the review of PCS/DMR data for at least the last 3 years indicate significant non-		X	i
compliance with the existing permit? 5. How there have a proper in stream flow phometricities since the last normit was developed?	 	X	
5. Has there been any change in streamflow characteristics since the last permit was developed?	+		
6. Does the permit allow the discharge of new or increased loadings of any pollutants?7. Does the fact sheet or permit provide a description of the receiving water body(s) to which the		X	
facility discharges, including information on low/critical flow conditions and designated/existing uses?	x		
8. Does the facility discharge to a 303(d) listed water? DOWNSTREAM		X	
a. Has a TMDL been developed and approved by EPA for the impaired water?	Х		
b. Does the record indicate that the TMDL development is on the State priority list and will	+		
most likely be developed within the life of the permit?		ļ	X
c. Does the facility discharge a pollutant of concern identified in the TMDL or 303(d) listed water?		х	
9. Have any limits been removed, or are any limits less stringent, than those in the current permit?		X	
10. Does the permit authorize discharges of storm water?		X	
I.B. Permit/Facility Characteristics - cont.	Yes	No	N/A
11. Has the facility substantially enlarged or altered its operation or substantially increased its flow or production?		Х	
12. Are there any production-based, technology-based effluent limits in the permit?	X		

I.B. Permit/Facility Characteristics - cont.	Yes	No	N/A
11. Has the facility substantially enlarged or altered its operation or substantially increased its flow or production?		Х	
12. Are there any production-based, technology-based effluent limits in the permit?	Х		
13. Do any water quality-based effluent limit calculations differ from the State's standard policies or procedures?			Х
14. Are any WQBELs based on an interpretation of narrative criteria?			X
15. Does the permit incorporate any variances or other exceptions to the State's standards or regulations?		х	
16. Does the permit contain a compliance schedule for any limit or condition?		X	
17. Is there a potential impact to endangered/threatened species or their habitat by the facility's discharge(s)?	Х		
18. Have impacts from the discharge(s) at downstream potable water supplies been evaluated?	Х		
19. Is there any indication that there is significant public interest in the permit action proposed for this facility?		х	
20. Have previous permit, application, and fact sheet been examined?	X		

Part II. NPDES Draft Permit Checklist

Region III NPDES Permit Quality Review Checklist - For Non-Municipals

(To be completed and included in the record for all non-POTWs)

(To be completed and included in the record for <u>all</u> non-POTWs)			
II.A. Permit Cover Page/Administration	Yes	No	N/A
1. Does the fact sheet or permit describe the physical location of the facility, including latitude and longitude (not necessarily on permit cover page)?	Х		
2. Does the permit contain specific authorization-to-discharge information (from where to where, by whom)?	Х		
II.B. Effluent Limits – General Elements	Yes	No	N/A
1. Does the fact sheet describe the basis of final limits in the permit (e.g., that a comparison of technology and water quality-based limits was performed, and the most stringent limit selected)?	х		
2. Does the fact sheet discuss whether "antibacksliding" provisions were met for any limits that are less stringent than those in the previous NPDES permit?			Х
II.C. Technology-Based Effluent Limits (Effluent Guidelines & BPJ)	Yes	No	N/A
1. Is the facility subject to a national effluent limitations guideline (ELG)?		X	1
a. If yes, does the record adequately document the categorization process, including an evaluation of whether the facility is a new source or an existing source?			х
b. If no, does the record indicate that a technology-based analysis based on Best Professional Judgement (BPJ) was used for all pollutants of concern discharged at treatable concentrations?	х		
2. For all limits developed based on BPJ, does the record indicate that the limits are consistent with the criteria established at 40 CFR 125.3(d)?			Х
3. Does the fact sheet adequately document the calculations used to develop both ELG and /or BPJ technology-based effluent limits?		Х	
4. For all limits that are based on production or flow, does the record indicate that the calculations are based on a "reasonable measure of ACTUAL production" for the facility (not design)?			Х
5. Does the permit contain "tiered" limits that reflect projected increases in production or flow?	1	Х	
a. If yes, does the permit require the facility to notify the permitting authority when alternate levels of production or flow are attained?			х
6. Are technology-based permit limits expressed in appropriate units of measure (e.g., concentration, mass, SU)?	х		
7. Are all technology-based limits expressed in terms of both maximum daily, weekly average, and/or monthly average limits?		Х	
8. Are any final limits less stringent than required by applicable effluent limitations guidelines or BPJ?		Х	A Le
II.D. Water Quality-Based Effluent Limits	Yes	No	N/A
 Does the permit include appropriate limitations consistent with 40 CFR 122.44(d) covering State narrative and numeric criteria for water quality? 	х		
2. Does the record indicate that any WQBELs were derived from a completed and EPA approved TMDL?			Х
3. Does the fact sheet provide effluent characteristics for each outfall?	X		1:
4. Does the fact sheet document that a "reasonable potential" evaluation was performed?	X		<u> </u>
a. If yes, does the fact sheet indicate that the "reasonable potential" evaluation was performed in accordance with the State's approved procedures?	Х		
b. Does the fact sheet describe the basis for allowing or disallowing in-stream dilution or a mixing zone?			X

A calculation procedures for all pollutants	that were found to	Х		
	1	Λ		
3 3 4 46 3 3 1 1 3 4 3 5 3 122 3 3 3 5 7 8 3 3 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				-
at the "reasonable potential" and WLA calc				l v
* -	bient/background			X
	1 66			
		X		
nit consistent with the justification and/or d	locumentation			x
				х
				х
	in accordance with	Х		
		Ves	No	N/A
	2		110	1177
= =		^		750
	ned a monitoring			
	ormed for each		v	
-			Λ	
r Whole Effluent Toxicity in accordance w	ith the State's			x
		Vac	No	N/A
ent and implementation of a Best Manager	ment Practices	103		1 17,7
	nent i factices		X	· App or
	th the RMPs?			X
				
schedule(s), are they consistent with status	tory and regulatory			X
	RE, BMPs, special		į	Х
		Ves	No	N/A
FR 122 41 standard conditions or the State	equivalent (or	103	110	+
R 122.41 Standard Conditions of the State	equivalent (of	X		1 T
FR 122.41				
	Reporting Requ	irements		
Duty to provide information				
Inspections and entry			pliance	
Monitoring and records	Transfers			
Signatory requirement				
Bypass			les	
Upset			ce	
			v	
	available)? ric effluent limits for all pollutants for which it consistent with the justification and/or of long-term (e.g., average monthly) AND shainstantaneous) effluent limits established? The initial paper print using appropriate units of measure (e.g., average monthly) and shainstantaneous) effluent limits established? The initial paper print using appropriate units of measure (e.g., average monthly) and the facility applied for and was grant specifically incorporate this waiver? It is that the facility applied for and was grant specifically incorporate this waiver? It is that the facility applied for and was grant specifically incorporate this waiver? It is that the facility applied for and was grant specifically incorporate this waiver? It is that the facility applied for and was grant specifically incorporate this waiver? It is that the facility applied for and was grant to be perfectly applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant to be perfectly in accordance with the facility applied for and was grant	ic effluent limits for all pollutants for which "reasonable nit consistent with the justification and/or documentation I long-term (e.g., average monthly) AND short-term (e.g., instantaneous) effluent limits established? Trimit using appropriate units of measure (e.g., mass, in "antidegradation" review was performed in accordance with tion policy? Requirements In a monitoring for all limited parameters? In a that the facility applied for and was granted a monitoring a specifically incorporate this waiver? I cal location where monitoring is to be performed for each or Whole Effluent Toxicity in accordance with the State's I call location where monitoring is to be performed for each or Whole Effluent Toxicity in accordance with the State's I call location where monitoring is to be performed for each or Whole Effluent Toxicity in accordance with the BMPs? Eschedule(s), are they consistent with statutory and regulatory and implementation of a Best Management Practices Performed for each or Whole Effluent Toxicity in accordance with the BMPs? Eschedule(s), are they consistent with statutory and regulatory and implementation or the State equivalent (or FR 122.41 standard conditions or the State equivalent (or FR 122.41 Property rights Reporting Requirement Anticipated Transfers Signatory requirement Monitoring and records Transfers Signatory requirement Monitoring Monitoring Compliance Office and Planned Compliance Upset 24-Hour re	available)? ice effluent limits for all pollutants for which "reasonable X nit consistent with the justification and/or documentation I long-term (e.g., average monthly) AND short-term (e.g., instantaneous) effluent limits established? Trmit using appropriate units of measure (e.g., mass, in "antidegradation" review was performed in accordance with tion policy? Requirements The equirements are that the facility applied for and was granted a monitoring to a specifically incorporate this waiver? I call location where monitoring is to be performed for each for Whole Effluent Toxicity in accordance with the State's The equirement and implementation of a Best Management Practices are schedule(s), are they consistent with statutory and regulatory and inspections? FR 122.41 standard conditions or the State equivalent (or X) FR 122.41 Property rights Reporting Requirements Duty to provide information Inspections and entry Monitoring and records Signatory requirement Bypass Compliance schedule 24-Hour reporting Other non-compliantional standard condition (or the State equivalent or more	available)? ice effluent limits for all pollutants for which "reasonable X int consistent with the justification and/or documentation I long-term (e.g., average monthly) AND short-term (e.g., instantaneous) effluent limits established? rmit using appropriate units of measure (e.g., mass, in "antidegradation" review was performed in accordance with tion policy? **equirements** **main antidegradation of all limited parameters?* **aute that the facility applied for and was granted a monitoring specifically incorporate this waiver? **ical location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring is to be performed for each is all location where monitoring reports is all location where monitoring and records is all location where monitoring reports is all location where monitoring reports is all location port is all locat

Part III. Signature Page

Based on a review of the data and other information submitted by the permit applicant, and the draft permit and other administrative records generated by the Department/Division and/or made available to the Department/Division, the information provided on this checklist is accurate and complete, to the best of my knowledge.

Name	Douglas Frasier
Title	VPDES Permit Writer, Senior II
Signature	Oml Jania
Date	0 1 November 2012